

Safety Data Sheet

According to Regulation (EC) No 1907/2006

TASKI Jontec Tensol QS F3d

Revision: 2023-10-16

Version: 05.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: TASKI Jontec Tensol QS F3d

UFI: RMK6-W0D1-G006-0W3H

1.2 Relevant identified uses of the substance or mixture and uses advised against Product use: Floor cleaner.

Uses advised against:

For professional use only. Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8a_2 AISE_SWED_PW_8b_2 AISE_SWED_PW_4_1 AISE_SWED_PW_10_1 AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquids, Category 3 (H226) Acute toxicity - Oral, Category 4 (H302) Specific target organ toxicity - Single exposure, Category 3 (H336) Eye irritation, Category 2 (H319)

2.2 Label elements



Signal word: Warning.

Contains Propan-2-ol (Isopropyl Alcohol), alkyl alcohol alkoxylate

Hazard statements:

H226 - Flammable liquid and vapour. H302 - Harmful if swallowed. H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness.

Precautionary statements:

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P403 + P235 - Store in a well-ventilated place. Keep cool.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
Propan-2-ol	200-661-7	67-63-0	8-25	Flammable liquids, Category 2 (H225) Specific target organ toxicity - Single exposure, Category 3 (H336) Eye irritation, Category 2 (H319)		20-30
alkyl alcohol alkoxylate	[4]	111905-53-4		Acute toxicity - Oral, Category 4 (H302) Eye irritation, Category 2 (H319) Chronic aquatic toxicity, Category 3 (H412)		20-30
ethanediol	203-473-3	107-21-1	6-28	Acute toxicity - Oral, Category 4 (H302) Specific target organ toxicity - Repeated exposure, Category 2 (H373)		3-10

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures	
General Information:	Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident.
Inhalation:	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE, doctor or physician if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before reuse. Call a POISON CENTRE, doctor or physician if you feel unwell. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Call a POISON CENTRE, doctor or physician. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.0 Most immentant summtanes and off	ante heth equite and delayed

4.2 Most important symptoms and e	ffects, both acute and delayed			
Inhalation:	May cause drowsiness or dizziness.			
Skin contact:	No known effects or symptoms in normal use.			
Eye contact: Causes severe irritation.				
Ingestion:	No known effects or symptoms in normal use.			

4.3 Indication of any immediate medical attention and special treatment needed No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Turn off all sources of ignition. Ventilate the area. Ensure adequate ventilation. Do not breathe dust or vapour. Wear eye/face protection.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use explosion-proof electrical, ventilating or lighting equipment. Use non-sparking tools.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Store used personal protective equipment separately. Avoid contact with skin and eyes. Do not breathe vapours. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a well-ventilated place. Store in a closed container. Keep only in original packaging. Keep cool. Keep away from heat and direct sunlight.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Comah - Lower Tier requirements (tonnes): 5000 Comah - Upper Tier requirements (tonnes): 50000

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term	UK - Short term
	value(s)	value(s)
Propan-2-ol	400 ppm	500 ppm
	999 mg/m ³	1250 mg/m ³
ethanediol	10 mg/m ³ particulates	40 ppm vapour
	20 ppm vapour	104 mg/m ³ vapour
	52 mg/m ³ vapour	30 mg/m ³ particulate

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
Propan-2-ol	-	-	-	26
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
ethanediol	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
Propan-2-ol	-	-	-	888
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

TASKI Jontec Tensol QS F3d

ethanediol	No data available	-	No data available	106
------------	-------------------	---	-------------------	-----

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
Propan-2-ol	-	-	-	319
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
ethanediol	No data available	-	No data available	53

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)		Short term - Systemic	Long term - Local effects	Long term - Systemic effects
	effects	effects	enects	enects
Propan-2-ol	-	-	-	500
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
ethanediol	-	-	35	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
Propan-2-ol	-	-	-	89
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
ethanediol	-	-	7	-

Environmental exposure

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
Propan-2-ol	140.9	140.9	140.9	2251
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
ethanediol	10	1	10	199.5

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
Propan-2-ol	552	552	28	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
ethanediol	37	3.7	1.53	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: Appropriate organisational controls: No special requirements under normal use conditions. Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Manual transfer and dilution	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a
Automatic transfer and dilution	AISE_SWED_PW_8b_2	PW	PROC 8b	60	ERC8b

Personal protective equipment

Personal protective equipment	
Eye / face protection:	Safety glasses are not normally required. However, their use is recommended in those cases where
	splashes may occur when handling the product (EN 16321 / EN 166).
Hand protection:	No special requirements under normal use conditions.
Body protection:	No special requirements under normal use conditions.
Respiratory protection:	No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 10

Appropriate engineering controls: Appropriate organisational controls:

No special requirements under normal use conditions. No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
Machine application Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment	
Eye / face protection:	N
Hand protection:	N
Body protection:	N
Respiratory protection:	N

No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions.

Environmental exposure controls:

No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical state: Liquid Colour: Clear, Colourless Odour: Herbal Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
Propan-2-ol	82	Method not given	1013
alkyl alcohol alkoxylate	No data available		
ethanediol	194-205	Method not given	1013

Flammability (solid, gas): Not applicable to liquids
Flammability (liquid): Flammable.
Flash point (°C): ≈ 36 °C
Sustained combustion: The product sustains combustion (UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
Propan-2-ol	2	13
ethanediol	3.2	15.3

 Autoignition temperature:
 Not determined

 Decomposition temperature:
 Not applicable.

 pH: ≈ 9 (neat)
 Dilution pH: ≈ 9 (10 %)

 Kinematic viscosity:
 Not determined

 Solubility in / Miscibility with water:
 Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
Propan-2-ol	Soluble	Method not given	
alkyl alcohol alkoxylate	No data available		
ethanediol	Soluble	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

closed cup

See substance data

Method / remark

ISO 4316 ISO 4316

Method / remark

See substance data

Not relevant to classification of this product

Vapour pressure: Not determined

Method / remark

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
Propan-2-ol	4200	Method not given	20
alkyl alcohol alkoxylate	No data available		
ethanediol	12.3	Non guideline test	25

Relative density: ≈ 0.97 (20 °C) Relative vapour density: No data available. Particle characteristics: No data available.

Method / remark

OECD 109 (EU A.3) Not relevant to classification of this product Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Vapours may form explosive mixtures with air. Oxidising properties: Not oxidising. Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): 2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
Propan-2-ol	LD 50	5840	Rat	OECD 401 (EU B.1)		Not established
alkyl alcohol alkoxylate	LD 50	≥ 300-2000	Rat	Method not given		Not established
ethanediol	LD 50	7712	Rat	Method not given		Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
Propan-2-ol	LD 50	> 2000	Rabbit	Method not given		Not established

TASKI Jontec Tensol QS F3d

alkyl alcohol alkoxylate		No data available			Not establishe
ethanediol	LD 50	> 2000	Rabbit	Method not given	Not establishe

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Propan-2-ol	LC 50	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6
alkyl alcohol alkoxylate		No data available			
ethanediol	LC 50	> 2.5 (mist) No mortality observed	Rat	Weight of evidence	6

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
Propan-2-ol	Not established	Not established	Not established	Not established
alkyl alcohol alkoxylate	Not established	Not established	Not established	Not established
ethanediol	Not established	Not established	Not established	Not established

Irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	
alkyl alcohol alkoxylate	Mild irritant	Rabbit	OECD 404 (EU B.4)	
ethanediol	Not irritant	Rabbit	Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	
alkyl alcohol alkoxylate	Irritant	Rabbit	OECD 405 (EU B.5)	
ethanediol	Not corrosive or irritant	Rabbit	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Propan-2-ol	No data available			
alkyl alcohol alkoxylate	No data available			
ethanediol	No data available			

Sensitisation

Ingredient(s)	Result	Species	Method	Exposure time (h)
Propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
alkyl alcohol alkoxylate	No data available			
ethanediol	Not sensitising		Method not given	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
Propan-2-ol	No data available			
alkyl alcohol alkoxylate	No data available			
ethanediol	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
Propan-2-ol	No evidence for mutagenicity, negative test results No evidence of genotoxicity, negative test results		No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)
alkyl alcohol alkoxylate	No data available		No data available	
ethanediol	No evidence for mutagenicity, negative test results	Method not given	No data available	

Carcinogenicity	
Ingredient(s)	Effect
Propan-2-ol	No evidence for carcinogenicity, negative test results

[alkyl alcohol alkoxylate	No data available
	ethanediol	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
Propan-2-ol			No data				
			available				
alkyl alcohol alkoxylate			No data				
			available				
ethanediol			No data				No evidence for reproductive
			available				toxicity

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Propan-2-ol		No data available				
alkyl alcohol alkoxylate		No data available				
ethanediol		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
Propan-2-ol		No data				
		available				
alkyl alcohol alkoxylate		No data				
		available				
ethanediol		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Propan-2-ol		No data				
		available				
alkyl alcohol alkoxylate		No data				
		available				
ethanediol		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific effects and	Remark
	route		(mg/kg bw/d)			time	organs affected	
Propan-2-ol			No data					
			available					
alkyl alcohol alkoxylate			No data					
			available					
ethanediol			No data					
			available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
Propan-2-ol	Central nervous system
alkyl alcohol alkoxylate	No data available
ethanediol	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
Propan-2-ol	No data available
alkyl alcohol alkoxylate	No data available
ethanediol	No data available

Aspiration hazard Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Propan-2-ol	LC 50	> 100	Pimephales promelas	Method not given	48
alkyl alcohol alkoxylate	LC 50	> 1- 10	Leuciscus idus	Method not given	96
ethanediol	LC 50	18500	Oncorhynchus mykiss	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Propan-2-ol	EC 50	> 100	Daphnia	Method not given	48
			magna Straus		
alkyl alcohol alkoxylate	EC 50	> 1 - 10	Daphnia	Method not given	48
			magna Straus		
ethanediol	EC 50	> 100	Daphnia	Method not given	48
			magna Straus	-	

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Propan-2-ol	EC 50	> 100	Scenedesmus quadricauda	Method not given	72
alkyl alcohol alkoxylate		No data available			
ethanediol	EC 50	6500 - 13000	Pseudokirchner iella subcapitata	Method not given	96

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
Propan-2-ol		No data available			
alkyl alcohol alkoxylate		No data			
ethanediol		available			
ethanedioi		No data available			

Impact on sewage plants - toxicity to bacteria					
Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
Propan-2-ol	EC 50	> 1000	Activated sludge	Method not given	
alkyl alcohol alkoxylate	EC 10	> 1000	Activated sludge	DEV-L2	
ethanediol	EC 50	10000	Pseudomonas putida	Method not given	16 hour(s)

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Propan-2-ol		No data available				
alkyl alcohol alkoxylate		No data available				
ethanediol	NOEC	> 100	Not specified	Method not		

given				
			given	

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Propan-2-ol		No data available				
alkyl alcohol alkoxylate	NOEC	> 0.1 - 1	Daphnia magna	OECD 202	21 day(s)	
ethanediol	NOEC	> 100		Method not given		

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
Propan-2-ol		No data available				
alkyl alcohol alkoxylate		No data available				
ethanediol		No data available				

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw			time (days)	
		soil)				
Propan-2-ol		No data				
		available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Propan-2-ol		No data				
		available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
Propan-2-ol		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Propan-2-ol		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Propan-2-ol		No data available				

12.2 Persistence and degradability Abiotic degradation

Abiotic degradation -	photodegradation in air, if available:	

Ingredient(s)	Half-life time	Method	Evaluation	Remark
Propan-2-ol	No data available			
ethanediol	No data available	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
Propan-2-ol	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s) Type Half-life time Method Evaluation Remark	Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
--	---------------	------	----------------	--------	------------	--------

Propan-2-ol	No data available		

Biodegradation

Ready biodegradability - aerobic conditions					
Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
		method			
Propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable
alkyl alcohol alkoxylate	Activated sludge,	CO ₂ production	> 60 % in 28	OECD 301B	Readily biodegradable
	aerobe		day(s)		
ethanediol			56 % in 28 day(s)	OECD 301A	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
Propan-2-ol					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
Propan-2-ol					No data available

12.3 Bioaccumulative potential

Partition coefficien	nt n-octan	ol/water (lo	g Kow)	

Ingredient(s)	Value	Method	Evaluation	Remark
Propan-2-ol	0.05	OECD 107	No bioaccumulation expected	
alkyl alcohol alkoxylate	No data available			
ethanediol	-1.34	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
Propan-2-ol	No data available				
alkyl alcohol alkoxylate	No data available				
ethanediol	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
Propan-2-ol	No data available				Potential for mobility in soil, soluble in water
alkyl alcohol alkoxylate	No data available				
ethanediol	No data available				Potential for mobility in soil, soluble in water

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	The concentrated contents or contaminated packaging should be disposed of by a certified handler
Waste from residues / unused	or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging
products:	material is suitable for energy recovery or recycling in line with local legislation.
European Waste Catalogue:	20 01 29* - detergents containing dangerous substances.
Empty packaging Recommendation: Suitable cleaning agents:	Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number: 1987 14.2 UN proper shipping name: Alcohols, n.o.s. (isopropanol) 14.3 Transport hazard class(es): Transport hazard class (and subsidiary risks): 3 14.4 Packing group: III 14.5 Environmental hazards: Environmentally hazardous: No Marine pollutant: No 14.6 Special precautions for user: None known. 14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers. Other relevant information: ADR Classification code: F1 Tunnel restriction code: (D/E) Hazard identification number: 30

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations :

EmS: F-E, S-D

IMO/IMDG

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
 Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
 International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation	
non-ionic surfactants	15 - 30 %
soap	< 5 %
perfumes	

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: P5c - FLAMMABLE LIQUIDS

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS7311

Version: 05.0

Revision: 2023-10-16

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 3, 4, 6, 8, 14, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms: • AISE - The international Association for Soaps, Detergents and Maintenance Products

- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- · ERC Environmental release categories
- EUH CLP Specific hazard statement • LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
 NOAEL No observed adverse effect level
- NOEL No observed effect level
- · OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PBI Predicted No Effect Concentration
 PROC Process categories
 REACH number REACH registration number, without supplier specific part
 vPvB very Persistent and very Bioaccumulative
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H373 May cause damage to organs through prolonged or repeated exposure.
- · H412 Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet