



Revision: 2024-04-15 **Version:** 07.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Suma Multipurpose Cleaner D2.3

UFI: A8P6-K0SA-Y00J-HG5H

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use:

Dish wash product.

Kitchen surface cleaner.

Hard surface cleaner.

Glass cleaner.

For professional use only.

Uses advised against:

Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8b_2 AISE_SWED_PW_10_1 AISE_SWED_PW_11_1 AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)

2.2 Label elements



Signal word: Danger.

Contains 1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione (DMDM Hydantoin), cocoamidopropyl betaine hydrogenated (Cocamidopropyl Betaine), amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (Lauramine oxide), alkyl polyglucoside (Octyl/Decyl Glucoside)

Hazard statements:

H318 - Causes serious eye damage.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements:

P280 - Wear eye or face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
cocoamidopropyl betaine hydrogenated	931-333-8 931-513-6 931-296-8	-	01-211948941			10-20
propane-1,2-diol	200-338-0	57-55-6	01-211945680 9-23	Not classified as hazardous		10-20
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	931-292-6	308062-28-4	1-47	Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 2 (H411)		3-10
alkyl polyglucoside	500-220-1	68515-73-1	01-211948853 0-36	Serious eye damage, Category 1 (H318)		1-3
1,3-bis(hydroxymethyl)-5,5-dimethylimid azolidine-2,4-dione	229-222-8	6440-58-0	01-211997601 5-37	Acute toxicity - Oral, Category 4 (H302)		0.1-1

Specific concentration limits

cocoamidopropyl betaine hydrogenated:

• Serious eye damage, Category 1 (H318) >= 10% > Eye irritation, Category 2 (H319) >= 4%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,

doctor or physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:No known effects or symptoms in normal use.Skin contact:No known effects or symptoms in normal use.Eye contact:Causes severe or permanent damage.Ingestion:No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
propane-1,2-diol	150 ppm total vapour and particulates	450 ppm total vapour and particulates
	474 mg/m3 total vapour	1422 mg/m ³ total
	and particulates	vapour and particulates
	10 mg/m ³ particulates	30 mg/m ³ particulate

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
cocoamidopropyl betaine hydrogenated	-	-	-	7.5
propane-1,2-diol	-	-	-	-
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	-	-	0.44
alkyl polyglucoside	-	-	-	35.7
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	-	-	-	10

DNEL/DMEL dermal exposure - Worker

DIVER BUILD GOTTIAL EXPOSURE WORKER				
Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
cocoamidopropyl betaine hydrogenated	-	-	-	12.5
propane-1,2-diol	-	-	-	-
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available	-	- %	11
alkyl polyglucoside	No data available	-	No data available	595000
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available	-	No data available	20

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
cocoamidopropyl betaine hydrogenated	-	-	-	7.5
propane-1,2-diol	-	-	-	-
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available	-	- %	5.5
alkyl polyglucoside	No data available	-	No data available	357000
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available	-	No data available	10

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
cocoamidopropyl betaine hydrogenated	-	-	-	44
propane-1,2-diol	-	-	10	168
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	-	-	6.2
alkyl polyglucoside	-	-	-	420
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	-	-	-	70.6

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
cocoamidopropyl betaine hydrogenated	-	-	-	13.04
propane-1,2-diol	-	-	10	50
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	-	-	1.53
alkyl polyglucoside	-	-	-	124
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	-	-	-	17.4

Environmental exposure Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
cocoamidopropyl betaine hydrogenated	0.0135	0.00135	-	3000
propane-1,2-diol	260	26	183	20000
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	0.0335	0.00335	0.0335	24
alkyl polyglucoside	0.176	0.0176	0.27	560
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	0.51	0.051	0.11	10

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
cocoamidopropyl betaine hydrogenated	1	0.1	0.8	-
propane-1,2-diol	572	57.2	50	-
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	5.24	0.524	1.02	-
alkyl polyglucoside	1.516	0.152	0.654	-
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin Appropriate engineering controls:

contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Automatic transfer and dilution	AISE_SWED_PW_8b_2	PW	PROC 8b	60	ERC8b

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 16321 / EN 166). Hand protection: No special requirements under normal use conditions. Body protection: No special requirements under normal use conditions. Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 0.53

Appropriate engineering controls: Provide a good standard of general ventilation. Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

READIT doc socialities considered for the diluted product.							
	SWED	LCS	PROC	Duration	ERC		
				(min)			
Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a		
Spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a		
Manual application	AISE SWED PW 19 1	PW	PROC 19	480	FRC8a		

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions. No special requirements under normal use conditions. Hand protection: No special requirements under normal use conditions. **Body protection:**

Trigger spray bottle application: No special requirements under normal use conditions. Apply Respiratory protection:

technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Clear , Deep , Blue Odour: Product specific Odour threshold: Not applicable

Not relevant to classification of this product Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
cocoamidopropyl betaine hydrogenated	100	Method not given	(4.)
propane-1,2-diol	185-190	Method not given	1013
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	> 100	Method not given	
alkyl polyglucoside	> 100	Method not given	1013
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available		

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): > 93 °C closed cup Sustained combustion: The product does not sustain combustion Weight of evidence (UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit	Upper limit
	(% vol)	(% vol)
propane-1,2-diol	2.6	12.6

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

pH: ≈ 8 (neat) ISO 4316

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
cocoamidopropyl betaine hydrogenated	> .? Soluble	Method not given	20
propane-1,2-diol	Soluble	Method not given	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	409.5 Soluble	Method not given	20
alkyl polyglucoside	Soluble	Method not given	20
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark
See substance data

Vapour pressure: Not determined

Substance data vanour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
cocoamidopropyl betaine hydrogenated	.?	Method not given	20
propane-1,2-diol	18.6	Method not given	20
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	< 10	Method not given	25
alkyl polyglucoside	< 0.01	OECD 104 (EU A.4)	20
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available		

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

Relative density: ≈ 1.02 (20 °C) Relative vapour density: -.

Particle characteristics: No data available.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising. Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s): ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
cocoamidopropyl betaine hydrogenated	LD 50	2335	Rat	OECD 401 (EU B.1)		Not established
propane-1,2-diol	LD 50	> 10000	Rat	Method not given		Not established
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LD 50	1064	Rat	OECD 401 (EU B.1)		1064
alkyl polyglucoside	LD 50	> 5000	Rat	OECD 401 (EU B.1)		Not established
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	LD 50	1572	Rat	EPA OPP 81-1 Substance was tested as 55 % aqueous solution		1572

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
cocoamidopropyl betaine hydrogenated	LD 50	> 5000	Rat	OECD 402 (EU B.3)		5000
propane-1,2-diol	LD 50	> 2000	Rabbit	Method not given		Not established
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LD 50	> -	Rat	OECD 402 (EU B.3)		Not established
alkyl polyglucoside	LD 50	> 2000	Rabbit	OECD 402 (EU B.3)		Not established
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	LD 50	> 1052	Rabbit	EPA OPP 81-2 Substance was tested as 52.6 % aqueous solution		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
cocoamidopropyl betaine hydrogenated	LC 50	> 5 (mist)	Rat	Method not given	4
propane-1,2-diol	LC 50	> 317 (mist) No mortality observed	Rabbit	Non guideline test	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			
alkyl polyglucoside		No data available			
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
cocoamidopropyl betaine hydrogenated	Not established	Not established	Not established	Not established
propane-1,2-diol	Not established	Not established	Not established	Not established
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Not established	Not established	Not established	Not established
alkyl polyglucoside	Not established	Not established	Not established	Not established
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	Not established	Not established	Not established	Not established

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
cocoamidopropyl betaine hydrogenated	Mild irritant	Rabbit	OECD 404 (EU B.4)	
propane-1,2-diol	Not irritant	Rabbit	OECD 404 (EU B.4)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Irritant	Rabbit	OECD 404 (EU B.4)	
alkyl polyglucoside	Not irritant	Rabbit	OECD 404 (EU B.4)	4 hour(s)
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	Not irritant	Rabbit	EPA OPP 81-5	4 hour(s)

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
cocoamidopropyl betaine hydrogenated	Severe damage	Rabbit	OECD 405 (EU B.5)	
propane-1,2-diol	Not corrosive or	Rabbit	OECD 405 (EU B.5)	
	irritant			

amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Severe damage	Rabbit	OECD 405 (EU B.5)	
alkyl polyglucoside	Severe damage	Rabbit	OECD 405 (EU B.5)	
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	Not corrosive or irritant	Rabbit	EPA OPP 81-4	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
cocoamidopropyl betaine hydrogenated	No data available			
propane-1,2-diol	No data available			
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available			
alkyl polyglucoside	No data available			
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
cocoamidopropyl betaine hydrogenated	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			GPMT	
propane-1,2-diol	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			GPMT	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			Buehler test	
alkyl polyglucoside	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
·			Buehler test	
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
cocoamidopropyl betaine hydrogenated	No data available			
propane-1,2-diol	No data available			
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available			
alkyl polyglucoside	No data available			
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available	-	_	

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity Result (in-vitro) Result (in-vivo) Ingredient(s) Method Method (in-vitro) (in-vivo) cocoamidopropyl betaine hydrogenated No evidence for mutagenicity, negative OECD 471 (EU No evidence for mutagenicity, negative OECD 474 (EU test results B.12/13) OECD test results B.12) 4**7**6 propane-1,2-diol No evidence for mutagenicity, negative Method not No data available test results given No evidence for mutagenicity, negative amines, C12-14 (even numbered)-alkyldimethyl, OECD 471 (EU No data available N-oxides test results B.12/13) alkyl polyglucoside No evidence for mutagenicity, negative Read across No data available test results 1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidin No data available No data available e-2,4-dione

Carcinogenicity

Gardinogonioty					
Ingredient(s)	Effect				
cocoamidopropyl betaine hydrogenated	No evidence for carcinogenicity, weight-of-evidence				
propane-1,2-diol	No evidence for carcinogenicity, negative test results				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No evidence for carcinogenicity, negative test results				
alkyl polyglucoside	No evidence for carcinogenicity, weight-of-evidence				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available				

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
cocoamidopropyl betaine hydrogenated	NOEL	Developmental toxicity	300	Rat	OECD 414 (EU B.31), oral		
propane-1,2-diol			No data available				No evidence for reproductive toxicity
amines, C12-14 (even numbered)-alkyldimeth yl, N-oxides	NOAEL	Teratogenic effects	25	Rat	Non guideline test		
alkyl polyglucoside			No data available		OECD 416, (EU B.35), oral		No evidence for reproductive toxicity

1,3-bis(hydroxymethyl)- 5,5-dimethylimidazolidi	No data available		
ne-2,4-dione			

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	
cocoamidopropyl betaine hydrogenated	NOAEL	300	Rat	OECD 408 (EU B.26)	90	
propane-1,2-diol		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOAEL	-		OECD 422, oral		
alkyl polyglucoside	NOAEL	100	Rat	OECD 408 (EU B.26)	90	
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dio		No data				
ne		available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	
cocoamidopropyl betaine hydrogenated		No data available				
propane-1,2-diol		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available				
alkyl polyglucoside		No data available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dio ne		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
cocoamidopropyl betaine hydrogenated		No data available				
propane-1,2-diol		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available				
alkyl polyglucoside		No data available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dio ne		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
cocoamidopropyl			No data					
betaine hydrogenated			available					
propane-1,2-diol			No data					
			available					
amines, C12-14 (even			No data					
numbered)-alkyldimeth			available					
yl, N-oxides								
alkyl polyglucoside			No data					
			available					
1,3-bis(hydroxymethyl)-			No data					
5,5-dimethylimidazolidi			available					
ne-2,4-dione								

STOT-single exposure

Ingredient(s)	Affected organ(s)
cocoamidopropyl betaine hydrogenated	No data available
propane-1,2-diol	No data available
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available
alkyl polyglucoside	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
cocoamidopropyl betaine hydrogenated	No data available
propane-1,2-diol	No data available
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available

	alkyl polyglucoside	No data available
ſ	1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
cocoamidopropyl betaine hydrogenated	LC 50	1.11	Pimephales promelas	OECD 203, semi-static	96
propane-1,2-diol	LC 50	> 1000	Fish	Method not given	24
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LC 50	2.67-3.46	Pimephales promelas	Similar to OECD 203	96
alkyl polyglucoside	LC 50	100.81	Brachydanio rerio	ISO 7346	96
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	LC 50	> 82.3	Brachydanio rerio	OECD 203, semi-static	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
cocoamidopropyl betaine hydrogenated	EC 50	1.9	Daphnia	OECD 202, static	48
propane-1,2-diol	EC 50	> 100	Daphnia	Method not given	48
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	EC 50	3.1	Daphnia magna Straus	OECD 202, static	48
alkyl polyglucoside	EC 50	> 100	Daphnia magna Straus	OECD 202 (EU C.2)	48
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	EC 50	29.1	Daphnia magna Straus	OECD 202, semi-static	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
cocoamidopropyl betaine hydrogenated	Er C 50	2.4	Not specified	Method not given	72
propane-1,2-diol	EC 50	24200	Desmodesmus subspicatus	OECD 201 (EU C.3)	72
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Er C 50	0.143	Pseudokirchner iella subcapitata	Method not given	72
alkyl polyglucoside	EC 50	27.22	Desmodesmus subspicatus	Method not given	72
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	EC 50	11	Desmodesmus subspicatus	OECD 201, static	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
cocoamidopropyl betaine hydrogenated	ErC 50	0.74	Skeletonema costatum Phaeodactylum tricornutum	ISO 10253	72
propane-1,2-diol		No data available			

amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			
alkyl polyglucoside	EC 50	12.43	Skeletonema costatum	Method not given	3
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
cocoamidopropyl betaine hydrogenated	EC 50	3000	Bacteria	ISO 13641 (2003), anaerobic	16 hour(s)
propane-1,2-diol	EC ₀	> 20000	Pseudomonas putida	Method not given	18 hour(s)
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	EC 10	> -	Bacteria	Non guideline test	- hour(s)
alkyl polyglucoside	EC 10	> 560	Pseudomonas putida	Method not given	6 hour(s)
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	EC 50	> 100	Activated sludge	OECD 209	3 hour(s)

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
cocoamidopropyl betaine hydrogenated	NOEC	0.135	Oncorhynchus mykiss	OECD 210	37 day(s)	
propane-1,2-diol		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOEC	0.42	Pimephales promelas	Method not given	302 day(s)	
alkyl polyglucoside	NOEC	1	Brachydanio rerio	Method not given	28 day(s)	
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dio ne		No data available				_

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
cocoamidopropyl betaine hydrogenated	NOEC	0.3	Daphnia magna	OECD 211	21 day(s)	
propane-1,2-diol	NOEC	13020	Ceriodaphnia dubia	Method not given	7 day(s)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOEC	0.7	Daphnia magna	OECD 211, flow-through	21 day(s)	
alkyl polyglucoside	NOEC	1	Daphnia magna	OECD 202	21 day(s)	
,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dic ne		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
cocoamidopropyl betaine hydrogenated		No data available				
propane-1,2-diol		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available				
alkyl polyglucoside		No data available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dio ne		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthwori	ms, if availabl	e:				
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
• , ,		(mg/kg dw	·		time (days)	
		soil)			` , ,	
cocoamidopropyl betaine hydrogenated	NOEC	≥ 846	Eisenia fetida		14	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
cocoamidopropyl betaine hydrogenated	NOEC	84.6	Brassica alba Lepidium	OECD 208	17	

	sativum Triticum		
	aestivum		

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
cocoamidopropyl betaine hydrogenated	Activated sludge, aerobe	CO ₂ production	91.6 % in 28 day(s)	OECD 301B	Readily biodegradable
propane-1,2-diol			> 70 % in 28 day(s)	OECD 301A	Readily biodegradable
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Activated sludge, aerobe	CO ₂ production	90 % in 28 day(s)	OECD 301B	Readily biodegradable
alkyl polyglucoside	Activated sludge, aerobe	DOC reduction	100 % in 28 day(s)	OECD 301E	Readily biodegradable
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-d ione	Activated sludge, aerobe	DOC reduction	95% in 28 day(s)	OECD 301A	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
cocoamidopropyl betaine hydrogenated			76% in 28 day(s)	OECD 306	Readily biodegradable

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential
Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
cocoamidopropyl betaine hydrogenated	4.2	Method not given	Low potential for bioaccumulation	
propane-1,2-diol	-1.07	Method not given	No bioaccumulation expected	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	<-	Method not given	No bioaccumulation expected	
alkyl polyglucoside	0.07	Method not given	No bioaccumulation expected	
1,3-bis(hydroxymethyl)-5,5-dimethylimid azolidine-2,4-dione	-2.9	Method not given		at 20 °C

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
cocoamidopropyl betaine hydrogenated	71		QSAR	Low potential for bioaccumulation	
propane-1,2-diol	No data available				
amines, C12-14 (even numbered)-alkyldimeth yl, N-oxides					
alkyl polyglucoside	< 1.77		Method not given	No bioaccumulation expected	
1,3-bis(hydroxymethyl)- 5,5-dimethylimidazolidi ne-2,4-dione			OECD 305	No bioaccumulation expected	

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
cocoamidopropyl betaine hydrogenated	2.0-5.1		QSAR		Potential for mobility in soil, soluble in water
propane-1,2-diol	No data available				Potential for mobility in soil, soluble in water

amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available		Low mobillity in soil
alkyl polyglucoside	No data available		
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-d	No data available		
ione			

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

or

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods **14.3 Transport hazard class(es):** Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

non-ionic surfactants, amphoteric surfactants

5 - 15 %

perfumes, Sodium Benzoate, DMDM Hydantoin, Benzoic Acid, Methylisothiazolinone

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS7439 Version: 07.0 Revision: 2024-04-15

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 2, 3, 9, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
 OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
 PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H400 Very toxic to aquatic life.
- H402 Harmful to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet