

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Carefree Stripper

Revision: 2022-12-01

Version: 03.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Carefree Stripper

UFI: 09W6-30CW-3004-SFXT

1.2 Relevant identified uses of the substance or mixture and uses advised against Product use: Floor stripper.

Uses advised against:

For professional use only. Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_1_1 AISE_SWED_PW_8a_1 AISE_SWED_PW_10_2 AISE_SWED_PW_19_2

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands Tel: 01 8081808 (9am - 5pm Mon-Fri) Email: dublin.orders@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible). National Poisons Information Centre Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week) Tel: 01 809 2566 (health care professionals).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1A (H314) STOT SE 3 (H335) Eye Dam. 1 (H318)

2.2 Label elements



Contains sodium hydroxide (Sodium Hydroxide), 2-aminoethanol (Ethanolamine)

Hazard statements:

H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

Precautionary statements:

P260 - Do not breathe vapours.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium hydroxide	215-185-5	1310-73-2	01-2119457892-27	Skin Corr. 1A (H314) Met. Corr. 1 (H290)		3-10
2-aminoethanol	205-483-3	141-43-5	01-2119486455-28	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H312) STOT SE 3 (H335) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		3-10
sodium cumenesulphonate	239-854-6	-	01-2119489411-37	Eye Irrit. 2 (H319)		1-3
2-butoxyethanol	203-905-0	111-76-2	01-2119475108-36	Acute Tox. 3 (H331) Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)		1-3
alkyl alcohol alkoxylate	[4]	196823-11-7	[4]	Eye Irrit. 2 (H319)		1-3

Specific concentration limits

sodium hydroxide:

• Eye Dam. 1 (H318) >= 3% > Eye Irrit. 2 (H319) >= 0.5%

• Skin Corr. 1À (H314) >= 5% > Skin Corr. 1B (H314) >= 2% > Skin Irrit. 2 (H315) >= 0.5%

2-aminoethanol:

• STOT SE 3 (H335) >= 5%

Workplace exposure limit(s), if available, are listed in subsection 8.1. ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information:	Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.
Inhalation:	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE, doctor or physician if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.2 Most important symptoms and effe	ects, both acute and delayed
Inhalation:	May cause respiratory irritation.
Skin contact:	Causes severe burns.
Eve contact:	Causes severe or permanent damage.
Ingestion:	Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Use only outdoors or in a well-ventilated area. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
sodium hydroxide		2 mg/m ³
2-aminoethanol	1 ppm 2.5 mg/m³	3 ppm 7.6 mg/m ³
2-butoxyethanol	20 ppm 98 mg/m ³	50 ppm 246 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)				
Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects	effects	effects
sodium hydroxide	-	-	-	-

2-aminoethanol	-	-	-	1.5
sodium cumenesulphonate	-	-	-	1.14
2-butoxyethanol	-	26.7	-	6.3
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hydroxide	2 %	-	-	-
2-aminoethanol	No data available	-	No data available	3
sodium cumenesulphonate	No data available	-	No data available	7.6
2-butoxyethanol	-	89	-	125
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hydroxide	2 %	-	-	-
2-aminoethanol	No data available	-	No data available	1.5
sodium cumenesulphonate	No data available	-	No data available	3.8
2-butoxyethanol	-	89	-	75
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hydroxide	-	-	1	-
2-aminoethanol	-	-	0.51	1
sodium cumenesulphonate	-	-	-	53.6
2-butoxyethanol	246	1091	-	98
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hydroxide	-	-	1	-
2-aminoethanol	-	-	0.28	0.18
sodium cumenesulphonate	-	-	-	13.2
2-butoxyethanol	147	426	-	59
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

Environmental exposure

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium hydroxide	-	-	-	-
2-aminoethanol	0.07	0.007	0.028	100
sodium cumenesulphonate	0.23	0.023	2.3	100
2-butoxyethanol	8.8	0.88	9.1	463
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sodium hydroxide	-	-	-	-
2-aminoethanol	0.375	0.0357	1.29	-
sodium cumenesulphonate	0.862	0.086	0.037	-
2-butoxyethanol	34.6	3.46	2.33	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls:

g controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

ERC

ERC8a ERC8a

Carefree Stripper

contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product. Avoid direct contact and/or splashes where possible. Train personnel.

Appropriate organisational controls:

REACH use scenarios considered for the undiluted product:							
	SWED - Sector-specific	LCS	PROC	Duration			
	worker exposure description						
Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60			
Manual transfer and dilution	AISE_SWED_PW_1_1	PW	PROC 1	60			

Personal protective equipment

Fersonal protective equipment	
Eye / face protection:	Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.
Hand protection:	Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm
	Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm
	In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
Body protection:	No special requirements under normal use conditions. Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection:	Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.
Environmental exposure controls:	Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 20

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Machine application	AISE_SWED_PW_10_2	PW	PROC 10	480	ERC8a
Manual application by brushing, wiping or mopping					
Manual application	AISE_SWED_PW_19_2	PW	PROC 19	480	ERC8a

Personal protective equipment Eye / face protection:

No special requirements under normal use conditions. Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary. Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm In consultation with the supplier of protective gloves a different type providing similar protection may be chosen. No special requirements under normal use conditions. Body protection: No special requirements under normal use conditions. **Respiratory protection:** Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical state: Liquid Colour: Clear , Blue

Method / remark

Odour: Product specific Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product See substance data

Substance data, boiling point

Ingredient(s)	Value	Method	Atmospheric pressure
	(°°)		(hPa)
sodium hydroxide	> 990	Method not given	
2-aminoethanol	169-171	Method not given	1013
sodium cumenesulphonate	> 100	Method not given	
2-butoxyethanol	168-172	Method not given	1013
alkyl alcohol alkoxylate	No data available		

Method / remark

Flammability (solid, gas): Not applicable to liquids
Flammability (liquid): Not flammable.
Flash point (°C): Not applicable.
Sustained combustion: Not applicable.
(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

See substance data

Method / remark

ISO 4316

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit	Upper limit
	(% vol)	(% vol)
2-aminoethanol	3.4	27
2-butoxyethanol	1.1	10.6

Autoignition temperature: Not determined Decomposition temperature: Not applicable. pH: > 11 (neat) Kinematic viscosity: Not determined Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value	Method	Temperature
	(g/l)		(°C)
sodium hydroxide	1000	Method not given	20
2-aminoethanol	1000	Method not given	20
sodium cumenesulphonate	Soluble		
2-butoxyethanol	Soluble	Method not given	20
alkyl alcohol alkoxylate	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Method / remark

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium hydroxide	< 1330	Method not given	20
2-aminoethanol	50	Method not given	20
sodium cumenesulphonate	No data available		
2-butoxyethanol	89	Method not given	20
alkyl alcohol alkoxylate	No data available		

Relative density: ≈ 1.07 (20 °C) Relative vapour density: No data available. Particle characteristics: No data available.

9.2 Other information
9.2.1 Information with regard to physical hazard classes
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics Alkali reserve: ≈ 6.9 (g NaOH / 100g; pH=10)

Method / remark

OECD 109 (EU A.3) Not relevant to classification of this product Not applicable to liquids.

Weight of evidence

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

ATE - Inhalatory, vapours (mg/l): >20

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium hydroxide		No data available				Not established
2-aminoethanol	LD 50	1089	Rat	OECD 401 (EU B.1)		10000
sodium cumenesulphonate	LD 50	> 7000	Rat	Method not given		Not established
2-butoxyethanol	LD 50	1746	Rat	ATE - Acute Toxicity Estimate		25000
alkyl alcohol alkoxylate	LD 50	> 2000-5000	Rat	OECD 423 (EU B.1 tris)		Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium hydroxide	LD 50	1350	Rabbit	Method not given		Not established
2-aminoethanol	LD 50	2504	Rabbit	OECD 402 (EU B.3)		22000
sodium cumenesulphonate	LD 50	> 2000	Rabbit	Method not given		Not established
2-butoxyethanol	LD 50	6411		Method not given		Not established
alkyl alcohol alkoxylate		No data available				Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide		No data available			
2-aminoethanol	LC 50	> 1.4 No mortality observed	Rat	Method not given	4
sodium cumenesulphonate	LC 50	> 770	Rat	Method not given	4
2-butoxyethanol	LC 50	> 2 (mist) No mortality observed	Rat	Method not given	4
alkyl alcohol alkoxylate		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium hydroxide	Not established	Not established	Not established	Not established
2-aminoethanol	Not established	Not established	150	Not established
sodium cumenesulphonate	Not established	Not established	Not established	Not established
2-butoxyethanol	Not established	Not established	150	Not established
alkyl alcohol alkoxylate	Not established	Not established	Not established	Not established

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	
sodium cumenesulphonate	Mild irritant	Rabbit	OECD 404 (EU B.4)	
2-butoxyethanol	Irritant	Rabbit	OECD 404 (EU B.4)	24; 48; 72 hour(s)
alkyl alcohol alkoxylate	Mild irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium cumenesulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	
2-butoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	24; 48; 72 hour(s)
alkyl alcohol alkoxylate	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
2-aminoethanol	Irritating to respiratory tract		Method not given	
sodium cumenesulphonate	No data available			
2-butoxyethanol	No data available			
alkyl alcohol alkoxylate	No data available			

Sensitisation

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hydroxide	Not sensitising		Human repeated patch test	
2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium cumenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
2-butoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
alkyl alcohol alkoxylate	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
2-aminoethanol	No data available			
sodium cumenesulphonate	No data available			
2-butoxyethanol	No data available			
alkyl alcohol alkoxylate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
		(in-vitro)		(in-vivo)
sodium hydroxide	No evidence for mutagenicity, negative	DNA repair test	No evidence for mutagenicity, negative	OECD 474 (EU
1	test results	on rat	test results	B.12) OECD
		hepatocytes		475 (EU B.11)
		OECD 473		
2-aminoethanol	No evidence for mutagenicity, negative	OECD 471 (EU	No evidence for mutagenicity, negative	OECD 474 (EU
1	test results	B.12/13) OECD	test results	B.12)
		473 OECD 476		
		(Mouse		
		lymphoma)		

sodium cumenesulphonate	No evidence for mutagenicity, negative	Method not	No evidence for mutagenicity, negative	OECD 474 (EU
	test results	given	test results	B.12)
2-butoxyethanol	No evidence for mutagenicity, negative	OECD 471 (EU	No evidence for mutagenicity, negative	OECD 474 (EU
	test results	B.12/13) OECD	test results	B.12)
		476 (Chinese		
		Hamster		
		Ovary)		
alkyl alcohol alkoxylate	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence
2-aminoethanol	No evidence for carcinogenicity, weight-of-evidence
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results
2-butoxyethanol	No evidence for carcinogenicity, negative test results
alkyl alcohol alkoxylate	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity
2-aminoethanol	NOAEL	Developmental toxicity	> 75	Rabbit	OECD 414 (EU B.31), oral		No evidence for developmental toxicity No evidence for reproductive toxicity
sodium cumenesulphonate	NOAEL	Teratogenic effects	> 3000	Rat	Non guideline test		
2-butoxyethanol			No data available				
alkyl alcohol alkoxylate			No data available				

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
2-aminoethanol	NOAEL	300	Rat		75	
sodium cumenesulphonate	NOAEL	763 - 3534		OECD 408 (EU B.26)	90	
2-butoxyethanol		No data available				
alkyl alcohol alkoxylate		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium hydroxide		No data				
		available				
2-aminoethanol		No data				
		available				
sodium cumenesulphonate	NOAEL	440	Mouse	Method not	90	
				given		
2-butoxyethanol		No data				
		available				
alkyl alcohol alkoxylate		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
2-aminoethanol		No data available				
sodium cumenesulphonate		No data available				
2-butoxyethanol		No data available				
alkyl alcohol alkoxylate		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium hydroxide			No data available					
2-aminoethanol			No data available					
sodium cumenesulphonate	Dermal	NOAEL	727	Mouse	Method not given	24 month(s)		
2-butoxyethanol			No data available					
alkyl alcohol alkoxylate			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
2-aminoethanol	Respiratory tract
sodium cumenesulphonate	No data available
2-butoxyethanol	No data available
alkyl alcohol alkoxylate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
2-aminoethanol	No data available
sodium cumenesulphonate	No data available
2-butoxyethanol	No data available
alkyl alcohol alkoxylate	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	LC 50	35	Various species	Method not given	96
2-aminoethanol	LC 50	349	Cyprinus carpio	OECD 203, semi-static	96
sodium cumenesulphonate	LC 50	> 1000	Fish	EPA-OPPTS 850.1075	96
2-butoxyethanol	LC 50	> 100	Oncorhynchus mykiss	OECD 203, static	96
alkyl alcohol alkoxylate	LC 50	> 1-10	Brachydanio rerio	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	40.4	Ceriodaphnia sp.	Method not given	48
2-aminoethanol	EC 50	27.04	Daphnia magna Straus	OECD 202, static	48
sodium cumenesulphonate	EC 50	> 1000	Daphnia	EPA-OPPTS 850.1010	48
2-butoxyethanol	EC 50	> 100	Daphnia	OECD 202, static	48

			magna Straus		
alkyl alcohol alkoxylate	EC 50	> 1-10	Not specified	79/831/EEC	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	22	Photobacteriu m phosphoreum	Method not given	0.25
2-aminoethanol	EC 50	2.8	Selenastrum capricornutum	OECD 201 (EU C.3)	72
sodium cumenesulphonate	Er C 50	310	Not specified		72
2-butoxyethanol	EC 50	> 100	Pseudokirchner iella subcapitata	OECD 201, static	72
alkyl alcohol alkoxylate	EC 50	> 10-100	Not specified	DIN 38412, Part 9	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hydroxide		No data available			
2-aminoethanol		No data available			
sodium cumenesulphonate		No data available			
2-butoxyethanol		No data available			
alkyl alcohol alkoxylate		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hydroxide		No data available			
2-aminoethanol	EC 50	> 1000	Activated sludge	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
sodium cumenesulphonate	Er C 50	> 1000	Bacteria	OECD 209	3 hour(s)
2-butoxyethanol	EC o	700	Pseudomonas putida	Method not given	16 hour(s)
alkyl alcohol alkoxylate	EC 20	> 10	Activated sludge	OECD 209	30 minute(s)

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data available				
2-aminoethanol	NOEC	1.2	Oryzias latipes	OECD 210	30 day(s)	
sodium cumenesulphonate		No data available				
2-butoxyethanol	NOEC	> 100	Danio rerio	OECD 204	21 day(s)	
alkyl alcohol alkoxylate		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data available				
2-aminoethanol	NOEC	0.85	Daphnia magna	OECD 202	21 day(s)	
sodium cumenesulphonate		No data available				
2-butoxyethanol	NOEC	100	Daphnia magna	OECD 211	21 day(s)	
alkyl alcohol alkoxylate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw	-		time (days)	
		sediment)				

sodium hydroxide	No data available		
2-aminoethanol	No data available		
sodium cumenesulphonate	No data available		
2-butoxyethanol	No data available		
alkyl alcohol alkoxylate	No data available		

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw soil)			time (days)	
o o diumo la udrovido		No data				
sodium hydroxide						
		available				
2-aminoethanol		No data				
		available				
sodium cumenesulphonate		No data				
· · ·		available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw			time (days)	
		soil)				
sodium hydroxide		No data				
		available				
sodium cumenesulphonate		No data				
		available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data				
		available				
2-aminoethanol		No data				
		available				
sodium cumenesulphonate		No data				
		available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw soil)			time (days)	
sodium hydroxide		No data				
		available				
2-aminoethanol		No data				
		available				
sodium cumenesulphonate		No data				
		available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw soil)			time (days)	
sodium hydroxide		No data available				
2-aminoethanol		No data available				
sodium cumenesulphonate		No data available				

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	
sodium cumenesulphonate	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium hydroxide	No data available			
sodium cumenesulphonate	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
sodium hydroxide		No data available			
sodium cumenesulphonate		No data available			

Biodegradation

Ready biodegradability - aerobic conditions					
Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					Not applicable (inorganic substance)
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable
sodium cumenesulphonate	Activated sludge, aerobe	CO ₂ production	100 % in 28 day(s)	OECD 301B	Readily biodegradable
2-butoxyethanol		CO ₂ production	90.4 % in 28 day(s)	OECD 301B	Readily biodegradable
alkyl alcohol alkoxylate		CO ₂ production	> 60 % in 28 day(s)	ISO 14593	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					No data available
sodium cumenesulphon	ate				No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					No data available
sodium cumenesulphonate					No data available

12.3 Bioaccumulative potential Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium hydroxide	No data available		Not relevant, does not	
			bioaccumulate	
2-aminoethanol	- 1.91	OECD 107	No bioaccumulation expected	
sodium cumenesulphonate	-1.5	Method not given	Low potential for bioaccumulation	
2-butoxyethanol	0.81	OECD 107	Low potential for bioaccumulation	
alkyl alcohol alkoxylate	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hydroxide	No data available				
2-aminoethanol	No data available				
sodium cumenesulphonate	3.16		QSAR	Low potential for bioaccumulation	
2-butoxyethanol	No data available				
alkyl alcohol alkoxylate	No data available				

12.4 Mobility in soil Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium hydroxide	No data available				Mobile in soil
2-aminoethanol	0.067		Model calculation		Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected
sodium cumenesulphonate	No data available				
2-butoxyethanol	No data available				Potential for mobility in soil, soluble in water
alkyl alcohol alkoxylate	No data available				

12.5 Results of PBT and vPvB assessment Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused products:

European Waste Catalogue:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation. 20 01 15* - alkalines.

Empty packaging Recommendation: Suitable cleaning agents:

Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

SECTION 14: Transport information



Other relevant information: ADR Classification code: C5 Tunnel restriction code: (E) Hazard identification number: 80 IMO/IMDG EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

• Regulation (EC) No. 1907/2006 - REACH

- Regulation (EC) No 1272/2008 CLP
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605

· Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

• International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Seveso - Classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS8102

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 3, 4, 6, 7, 8, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- · H290 May be corrosive to metals.
- · H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- · H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- · H332 Harmful if inhaled.
- H335 May cause respiratory irritation. H412 - Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
 EC50 effective concentration, 50%
- · ERC Environmental release categories
- EUH CLP Specific hazard statement
- · LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
- LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
- · OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic • PNEC - Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet

Version: 03.2