



# Safety Data Sheet

According to Regulation (EC) No 1907/2006

## Deosan Diversol BX II

Revision: 2022-12-06

Version: 03.3

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: Deosan Diversol BX II

UFI: R517-V0ER-V00D-HU5Q

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

<b>Product use:</b>	Hard surface cleaner. Surface disinfectant. for food contact surface disinfection For professional and industrial use only.
<b>Uses advised against:</b>	Uses other than those identified are not recommended.

#### SWED - Sector-specific worker exposure description :

AISE\_SWED\_PW\_8a\_2  
AISE\_SWED\_PW\_10\_1  
AISE\_SWED\_PW\_11\_1  
AISE\_SWED\_PW\_19\_1  
AISE\_SWED\_IS\_7\_5

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

#### Contact details

Diversey Ltd  
Weston Favell Centre, Northampton NN3 8PD, United Kingdom  
Tel: 01604 405311, Fax: 01604 406809  
Regulatory Email: customerservice.uk@diversey.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)  
For medical or environmental emergency only:  
call 0800 052 0185

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

EUH031  
Aquatic Chronic 2 (H411)

#### 2.2 Label elements



#### Hazard statements:

H411 - Toxic to aquatic life with long lasting effects.  
EUH031 - Contact with acids liberates toxic gas.

#### 2.3 Other hazards

No other hazards known.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium dichloroisocyanurate, dihydrate	220-767-7	-	[6]	EUH031 Acute Tox. 4 (H302) STOT SE 3 (H335) Eye Irrit. 2 (H319) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		3-10

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

<b>Inhalation:</b>	Get medical attention or advice if you feel unwell.
<b>Skin contact:</b>	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
<b>Eye contact:</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>Ingestion:</b>	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.
<b>Self-protection of first aider:</b>	Consider personal protective equipment as indicated in subsection 8.2.

### 4.2 Most important symptoms and effects, both acute and delayed

<b>Inhalation:</b>	May cause bronchospasm in chlorine sensitive individuals.
<b>Skin contact:</b>	No known effects or symptoms in normal use.
<b>Eye contact:</b>	No known effects or symptoms in normal use.
<b>Ingestion:</b>	No known effects or symptoms in normal use.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

### 6.3 Methods and material for containment and cleaning up

Collect mechanically. Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Measures to prevent fire and explosions:

No special precautions required.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

## Deosan Diversol BX II

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Comah - Lower Tier requirements (tonnes): 200

Comah - Upper Tier requirements (tonnes): 500

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

**Recommended monitoring procedures, if available:**

Additional exposure limits under the conditions of use, if available:

**DNEL/DMEL and PNEC values****Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium dichloroisocyanurate, dihydrate	-	-	-	1.15

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium dichloroisocyanurate, dihydrate	-	-	-	2.3

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium dichloroisocyanurate, dihydrate	-	-	-	1.15

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium dichloroisocyanurate, dihydrate	-	-	-	8.11

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium dichloroisocyanurate, dihydrate	-	-	-	1.99

**Environmental exposure**

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium dichloroisocyanurate, dihydrate	0.00017	1.52	0.0017	0.59

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
sodium dichloroisocyanurate, dihydrate	7.56	-	0.756	-

**8.2 Exposure controls**

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions.

## Deosan Diversol BX II

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** No special requirements under normal use conditions.  
**Appropriate organisational controls:** No special requirements under normal use conditions.

**REACH use scenarios considered for the undiluted product:**

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual transfer and dilution	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a

**Personal protective equipment**

**Eye / face protection:** No special requirements under normal use conditions.  
**Hand protection:** No special requirements under normal use conditions.  
**Body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted.

Recommended safety measures for handling the diluted product:

**Recommended maximum concentration (% w/w):** 1

**Appropriate engineering controls:** Provide a good standard of general ventilation.  
**Appropriate organisational controls:** No special requirements under normal use conditions.

**REACH use scenarios considered for the diluted product:**

	SWED	LCS	PROC	Duration (min)	ERC
Spray application	AISE_SWED_IS_7_5	IS	PROC 7	480	ERC4
Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

**Personal protective equipment**

**Eye / face protection:** No special requirements under normal use conditions.  
**Hand protection:** No special requirements under normal use conditions.  
**Body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available.

**Environmental exposure controls:** No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

**Method / remark**

**Physical state:** Solid

**Appearance:** Powder

**Colour:** White

**Odour:** Chlorine

**Odour threshold:** Not applicable

**Melting point/freezing point (°C):** Not determined

**Initial boiling point and boiling range (°C):** Not determined

Not relevant to classification of this product  
 Not applicable to solids or gases

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium dichloroisocyanurate, dihydrate	Product decomposes before boiling	Read across	

**Method / remark**

**Flammability (solid, gas):** Not determined

**Flammability (liquid):** Not applicable.

**Flash point (°C):** Not applicable.

**Sustained combustion:** Not applicable.

## Deosan Diversol BX II

( UN Manual of Tests and Criteria, section 32, L.2 )

**Lower and upper explosion limit/flammability limit (%):** Not determined

Substance data, flammability or explosive limits, if available:

**Method / remark**

**Autoignition temperature:** Not determined  
**Decomposition temperature:** Not applicable.  
**pH:** Not applicable  
**Dilution pH:**  $\approx 8$  (1 %)  
**Kinematic viscosity:** Not determined  
**Solubility in / Miscibility with water:** Soluble

ISO 4316  
 Not applicable to solids or gases

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium dichloroisocyanurate, dihydrate	248.2	Read across	25

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

**Method / remark****Vapour pressure:** Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium dichloroisocyanurate, dihydrate	0.006	Read across	20

**Relative density:**  $\approx 1.10$  (20 °C)  
**Relative vapour density:** No data available.  
**Particle characteristics:** Not determined.

**Method / remark**

OECD 109 (EU A.3)  
 Not applicable to solids  
 Not relevant to classification of this product.

**9.2 Other information****9.2.1 Information with regard to physical hazard classes**

**Explosive properties:** Not explosive.  
**Oxidising properties:** Not oxidising.  
**Corrosion to metals:** Not determined

Not applicable to solids or gases

**9.2.2 Other safety characteristics**

No other relevant information available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under normal storage and use conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known under normal storage and use conditions.

**10.4 Conditions to avoid**

None known under normal storage and use conditions.

**10.5 Incompatible materials**

Reacts with acids. Reacts with acids releasing toxic chlorine gas.

**10.6 Hazardous decomposition products**

Chlorine.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Mixture data:.

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): &gt;2000

Substance data, where relevant and available, are listed below:

### Acute toxicity

#### Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium dichloroisocyanurate, dihydrate	LD <sub>50</sub>	1671	Rat	EPA OPP 81-1		27000

#### Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium dichloroisocyanurate, dihydrate	LD <sub>50</sub>	> 5000	Rat	EPA OPP 81-2		Not established

#### Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium dichloroisocyanurate, dihydrate	LC <sub>50</sub>	> 0.27	Rat	OECD 403 (EU B.2)	4

#### Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium dichloroisocyanurate, dihydrate	Not established	Not established	Not established	Not established

### Irritation and corrosivity

#### Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium dichloroisocyanurate, dihydrate	Not irritant		Method not given	

#### Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium dichloroisocyanurate, dihydrate	Irritant		Method not given	

#### Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium dichloroisocyanurate, dihydrate	Irritating to respiratory tract			

### Sensitisation

#### Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium dichloroisocyanurate, dihydrate	Not sensitising	Guinea pig	OECD 429 (EU B.42)	

#### Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium dichloroisocyanurate, dihydrate	No data available			

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

#### Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium dichloroisocyanurate, dihydrate	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No evidence of genotoxicity, negative test results	OECD 475 (EU B.11)

#### Carcinogenicity

Ingredient(s)	Effect
sodium dichloroisocyanurate, dihydrate	No evidence for carcinogenicity, negative test results

#### Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium dichloroisocyanurate, dihydrate	NOAEL	Developmental toxicity	190	Rat	OECD 416, (EU B.35), oral		No known significant effects or critical hazards

### Repeated dose toxicity

#### Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
---------------	----------	-------	---------	--------	----------	-----------------------------

## Deosan Diversol BX II

		(mg/kg bw/d)			time (days)	affected
sodium dichloroisocyanurate, dihydrate	NOAEL	115	Rat	Method not given	28	

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium dichloroisocyanurate, dihydrate		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium dichloroisocyanurate, dihydrate	NOAEL	> 31	Rat	Method not given	28	

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium dichloroisocyanurate, dihydrate	Oral	NOAEL	1523	Mouse	OECD 453 (EU B.33)	24 month(s)		

## STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium dichloroisocyanurate, dihydrate	Respiratory tract

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium dichloroisocyanurate, dihydrate	Not applicable

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## 11.2 Information on other hazards

## 11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

## 11.2.2 Other information

No other relevant information available.

## SECTION 12: Ecological information

## 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

## Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium dichloroisocyanurate, dihydrate	LC <sub>50</sub>	0.23	<i>Lepomis macrochirus</i>	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium dichloroisocyanurate, dihydrate	EC <sub>50</sub>	0.21	<i>Daphnia magna Straus</i>	ASTM draft method	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium dichloroisocyanurate, dihydrate	EC <sub>50</sub>	< 0.5	<i>Scenedesmus obliquus</i>	Non guideline test	3

## Deosan Diversol BX II

## Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium dichloroisocyanurate, dihydrate		No data available			

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium dichloroisocyanurate, dihydrate	EC <sub>50</sub>	51		OECD 209	3 hour(s)

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium dichloroisocyanurate, dihydrate	NOEC	1000	<i>Oncorhynchus mykiss</i>	OECD 215	28 day(s)	

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium dichloroisocyanurate, dihydrate	NOEC	160	<i>Daphnia magna</i>	OECD 211	21 day(s)	

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate		No data available				

## Terrestrial toxicity

## Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate	NOEC	1000	<i>Eisenia fetida</i>	OECD 207	14	

## Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate		No data available				

## Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate		No data available				

## Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate		No data available				

## Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate		No data available				

## 12.2 Persistence and degradability

## Abiotic degradation

## Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium dichloroisocyanurate, dihydrate	No data available			

## Deosan Diversol BX II

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium dichloroisocyanurate, dihydrate	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium dichloroisocyanurate, dihydrate		No data available			

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium dichloroisocyanurate, dihydrate		Oxygen depletion	2 % in 28d day(s)	OECD 301D	Not readily biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium dichloroisocyanurate, dihydrate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium dichloroisocyanurate, dihydrate					No data available

**12.3 Bioaccumulative potential**Partition coefficient n-octanol/water (log K<sub>ow</sub>)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium dichloroisocyanurate, dihydrate	-0.0056	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium dichloroisocyanurate, dihydrate	No data available				

**12.4 Mobility in soil**

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
sodium dichloroisocyanurate, dihydrate	No data available				

**12.5 Results of PBT and vPvB assessment**

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

**12.6 Endocrine disrupting properties**

Endocrine disrupting properties - Environmental effects, if available:

**12.7 Other adverse effects**

No other adverse effects known.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Waste from residues / unused products:****European Waste Catalogue:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

16 03 05\* - organic wastes containing dangerous substances.

**Empty packaging****Recommendation:**

Dispose of observing national or local regulations.

**SECTION 14: Transport information**

**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)****14.1 UN number:** 3077**14.2 UN proper shipping name:**

Environmentally hazardous substance, solid, n.o.s. ( sodium dichloroisocyanurate dihydrate )

**14.3 Transport hazard class(es):**

Transport hazard class (and subsidiary risks): 9

**14.4 Packing group:** III**14.5 Environmental hazards:**

Environmentally hazardous: Yes

Marine pollutant: Yes

**14.6 Special precautions for user:** None known.**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** The product is not transported in bulk tankers.**Other relevant information:****ADR**

Classification code: M7

Tunnel restriction code: (-)

Hazard identification number: 90

**IMO/IMDG**

EmS: F-A, S-F

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for dangerous goods packed in small quantities classified under UN3077 or UN3082.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Biocidal Products Regulations 2001 (SI 2001/880)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.**Ingredients according to Detergents Regulation**

phosphates	15 - 30 %
chlorine-based bleaching agents	< 5 %

**Comah - classification:** E2 - Hazardous to the Aquatic Environment in Category Chronic 2**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MSDSGB0932**Version:** 03.3**Revision:** 2022-12-06**Reason for revision:**

This data sheet contains changes from the previous version in section(s): 1, 6, 7, 8, 9, 10, 11, 16, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006

**Classification procedure**

**Deosan Diversol BX II**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Full text of the H and EUH phrases mentioned in section 3:**

- H302 - Harmful if swallowed.
- H319 - Causes serious eye irritation.
- H335 - May cause respiratory irritation.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H411 - Toxic to aquatic life with long lasting effects.
- EUH031 - Contact with acids liberates toxic gas.

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

**End of Safety Data Sheet**