

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Sun Professional All in 1 Eco Tablets

Revision: 2022-10-24 **Version:** 05.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Sun Professional All in 1 Eco Tablets Sun is a registered trade mark and is used under licence of Unilever

UFI: GKY0-Y09C-N002-5WWR

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Dish wash product.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8a_2 PC35-Washing and cleaning products AISE_SWED_PW_1_1 AISE_SWED_PW_4_1 PC35-Washing and cleaning products

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319)

2.2 Label elements



Signal word: Warning.

Contains subtilisin (Subtilisin)

Hazard statements:

H319 - Causes serious eye irritation. EUH208 - May produce an allergic reaction.

Precautionary statements:

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium carbonate	207-838-8	497-19-8	01-2119485498-19	Eye Irrit. 2 (H319)		20-30
sodium percarbonate	239-707-6	15630-89-4	01-2119457268-30	Ox. Sol. 2 (H272) Acute Tox. 4 (H302) Eye Dam. 1 (H318)		10-20
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	[4]	501019-88-1	[4]	Aquatic Chronic 3 (H412)		1-3
sodium silicate	215-687-4	1344-09-8	01-2119448725-31	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		1-3
subtilisin	232-752-2	9014-01-1	01-2119480434-38	Acute Tox. 4 (H302) STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Resp. Sens. 1 (H334) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		0.1-1

Specific concentration limits

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If irritation occurs and persists, get medical attention.

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious Ingestion: person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use. No known effects or symptoms in normal use. Skin contact:

Causes severe irritation. Eye contact:

No known effects or symptoms in normal use. Ingestion:

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

[•] Eye Dam. 1 (H318) >= 25% > Eye Irrit. 2 (H319) >= 7.5%

Wear eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Collect mechanically. Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep out of reach of children

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
subtilisin	0.00004 mg/m ³	0.00012 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	-	-
sodium percarbonate	-	-	-	-
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available	No data available	No data available	No data available
sodium silicate	-	-	-	0.8
subtilisin	-	3.6	-	1.8

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	-	-	No data available	-
sodium percarbonate	12.8 mg/cm ² skin	-	12.8 mg/cm ² skin	-
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available	No data available	No data available	No data available
sodium silicate	No data available	-	No data available	1.59
subtilisin	0.2 %	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	No data available	-	No data available	-
sodium percarbonate	6.4 mg/cm ² skin	-	6.4 mg/cm ² skin	-
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available	No data available	No data available	No data available
sodium silicate	No data available	-	No data available	0.8
subtilisin	0.2 %	-	=	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	10	-
sodium percarbonate	-	-	5	-
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available	No data available	No data available	No data available
sodium silicate	-	-	-	5.61
subtilisin	-	-	0.00006	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m3)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	10	-	-	-
sodium percarbonate	-	-	-	-
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available	No data available	No data available	No data available
sodium silicate	-	-	-	1.38
subtilisin	-	-	0.000015	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium carbonate	-	-	-	-
sodium percarbonate	0.035	0.035	0.035	16.24
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available	No data available	No data available	No data available
sodium silicate	7.5	1	7.5	348
subtilisin	0.00006	0.000006	-	65

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sodium carbonate	-	-	•	-
sodium percarbonate	-	-	-	-
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available	No data available	No data available	No data available
sodium silicate	-	-	-	-
subtilisin	-	-	=	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

NEACH use scenarios considered for the ununuted product.						
	SWED - Sector-specific	LCS	PROC	Duration	ERC	
	worker exposure			(min)		
	description					
PC35-Washing and cleaning products	PC35-Washing and	С	-	-	ERC8a	
	cleaning products					
Manual transfer and dilution	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a	

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions. Hand protection: No special requirements under normal use conditions. **Body protection:** No special requirements under normal use conditions.

If exposure to dust cannot be avoided use: full-face mask (EN 136) with filter type HEPA (N100, Respiratory protection:

Class H14) (EN 1822) or self-contained or compressed air breathing apparatus (EN 137 / EN 138) Consider specific local use conditions. In consultation with the supplier of respiratory protection

equipment a different type providing similar protection may be chosen.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 0.1

No special requirements under normal use conditions. Appropriate engineering controls: Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
PC35-Washing and cleaning products	PC35-Washing and	С	-	-	ERC8a
	cleaning products				
Automatic application in a dedicated closed system	AISE_SWED_PW_1_1	PW	PROC 1	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions. Hand protection: No special requirements under normal use conditions. **Body protection:** No special requirements under normal use conditions. Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Solid Appearance: Tablets

Colour: Speckles , from White to Blue

Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined **OECD 102**

Initial boiling point and boiling range (°C): 2000

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium carbonate	1600	Method not given	1013
sodium percarbonate	Product decomposes before boiling		
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available		
sodium silicate	> 100	Method not given	
subtilisin	No data available		

Method / remark

Flammability (solid, gas): Not determined

Flammability (liquid): Not applicable.
Flash point (°C): Not applicable. Not relevant to classification of this product

Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
subtilisin	-	-

Method / remark

Autoignition temperature: Not determined **Decomposition temperature:** Not applicable.

Decomposition temperature: Not applicable **pH:** Not applicable

Dilution pH: ≈ 10 (0.1 %) ISO 4316

Kinematic viscosity: Not determined
Solubility in / Miscibility with water: Soluble

Not applicable to solids or gases

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium carbonate	210-215	Method not given	20
sodium percarbonate	140	Method not given	20
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available		
sodium silicate	Soluble	Method not given	20
subtilisin	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

See substance data

Substance data, vapour pressure

Vapour pressure: Not determined

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium carbonate	Negligible		
sodium percarbonate	Negligible		
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available		
sodium silicate	No data available		
subtilisin	Not applicable		

Method / remark

OECD 109 (EU A.3) Not applicable to solids

Not relevant to classification of this product.

Relative density: ≈ 0.30 (20 °C) Relative vapour density: No data available.

Particle characteristics: Not determined.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Not determined

Not oxidising, based on substance properties

Not applicable to solids or gases

9.2.2 Other safety characteristicsNo other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s): ATE - Oral (mg/kg): >2000

Eye irritation and corrosivity Result: Eye irritant 2 Method: Weight of evidence

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium carbonate	LD 50	2800	Rat	OECD 401 (EU B.1)		14000
sodium percarbonate	LD 50	1034	Rat	Method not given		3300
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)		No data available				Not established
sodium silicate	LD 50	3400	Rat	Method not given		Not established
subtilisin	LD 50	1800	Rat	OECD 401 (EU B.1)		1.2e+006

Acute dermal toxicity

Neute definal toxicity						
Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium carbonate	LD 50	> 2000	Rabbit	Method not given		Not established
sodium percarbonate	LD 50	> 2000	Rabbit	OECD 402 (EU B.3)		Not established
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)		No data available				Not established
sodium silicate	LD 50	> 5000	Rat	Method not given		Not established
subtilisin		No data available				Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC 50	> 2.3 (dust)		Weight of evidence	2
sodium percarbonate		No data available			
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)		No data available			
sodium silicate	LC 50	> 2.06 No mortality observed	Rat	Non guideline test	
subtilisin		-		Weight of evidence	

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium carbonate	Not established	Not established	Not established	Not established
sodium percarbonate	Not established	Not established	Not established	Not established
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	Not established	Not established	Not established	Not established
sodium silicate	Not established	Not established	Not established	Not established
subtilisin	Not established	Not established	Not established	Not established

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium percarbonate	Not irritant	Rabbit	Method not given	
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available			
sodium silicate	Irritant		Method not given	
subtilisin	Mild irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Irritant	Rabbit	OECD 405 (EU B.5)	
sodium percarbonate	Severe damage	Rabbit	EPA OPP 81-4	

oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available			
sodium silicate	Severe damage		Method not given	
subtilisin	Not corrosive or irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium percarbonate	Irritating to respiratory tract	Mouse	Method not given	
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available			
sodium silicate	Irritating to respiratory tract		Method not given	
subtilisin	Irritating to			
	respiratory tract			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium carbonate	Not sensitising		Method not given	
sodium percarbonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available			
sodium silicate	Not sensitising		Method not given	
subtilisin	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium percarbonate	No data available			
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available			
sodium silicate	No data available			
subtilisin	Sensitising		Weight of evidence	

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium carbonate	No data available		No data available	
sodium percarbonate	No data available		No data available	
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available		No data available	
sodium silicate	No evidence for mutagenicity, negative test results		No data available	
subtilisin	0 7, 0	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Chinese Hamster Ovary)	No data available	

Carcinogenicity

Ingredient(s)	Effect			
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence			
sodium percarbonate	No data available			
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available			
	No evidence for carcinogenicity, negative test results			
subtilisin	No data available			

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value	Species	Method	Exposure	Remarks and other effects
			(mg/kg bw/d)			time	reported
sodium carbonate			No data				
			available				
sodium percarbonate			No data				
-			available				
oxirane, methyl-,			No data				

polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	available		
sodium silicate	No data available		No evidence for reproductive toxicity
subtilisin	No data available		

Repeated dose toxicity

Sub-acute	e or	sub-c	hronic	oral	toxicity	
						-

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium percarbonate		No data available				
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)		No data available				
sodium silicate	NOAEL	> 159	Rat	Method not given	180	No effects observed
subtilisin		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium percarbonate		No data available				
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)		No data available				
sodium silicate		No data available				
subtilisin		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium carbonate		No data				
		available				
sodium percarbonate		No data				
·		available				
oxirane, methyl-, polymer with oxirane,		No data				
mono-C8-10-alkyl ethers, ethers with1,2-decanediol		available				
(1:1)						
sodium silicate		No data				
		available				
subtilisin		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium carbonate			No data available					
sodium percarbonate			No data available					
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)			No data available					
sodium silicate			No data available					
subtilisin			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)			
sodium carbonate	No data available			
sodium percarbonate	No data available			

oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available
sodium silicate	No data available
subtilisin	Respiratory tract

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	No data available
sodium percarbonate	No data available
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers	No data available
with1,2-decanediol (1:1)	
sodium silicate	Not applicable
subtilisin	No data available

Aspiration hazard Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptomsEffects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC 50	300	Lepomis macrochirus	Method not given	96
sodium percarbonate	LC 50	70.7	Pimephales promelas	Method not given	96
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	LC 50	1-10	Pimephales promelas		96
sodium silicate	LC 50	1108	Brachydanio rerio	Method not given	96
subtilisin	LC 50	8.2	Fish	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC 50	200-227	Ceriodaphnia dubia	Method not given	96
sodium percarbonate	EC 50	4.9	Daphnia pulex	Method not given	48
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	EC 50	1-10	Daphnia magna Straus		48
sodium silicate	EC 50	1700	Daphnia magna Straus	Method not given	48
subtilisin	EC 50	0.586	Daphnia	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC 50	> 800	Selenastrum capricornutum		72
sodium percarbonate	EC 50	2.5	Chlorella vulgaris	Read across	
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	EC 50	10-100	Desmodesmus subspicatus		72
sodium silicate	EC 50	207	Desmodesmus subspicatus	Method not given	72
subtilisin	Er C 50	0.830	Not specified	OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium carbonate		No data available			
sodium percarbonate		No data available			
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)		No data available			
sodium silicate		No data available			
subtilisin		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium carbonate		No data available			
sodium percarbonate	EC 50	466	Activated sludge	OECD 209	0.5 hour(s)
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)		No data available			
sodium silicate		No data available			
subtilisin		No data available			

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
sodium percarbonate	NOEC	7.4	Pimephales promelas	Method not given	96 hour(s)	
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)		No data available				
sodium silicate	NOEC	348	Brachydanio rerio	Method not given	96 hour(s)	
subtilisin		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
sodium percarbonate	NOEC	2	Daphnia pulex	Method not given	48 hour(s)	
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)		No data available				
sodium silicate		No data available				
subtilisin		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				
sodium percarbonate		No data available				
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)		No data available				
sodium silicate		No data available				
subtilisin		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - hirds if available:

refrestrial toxicity - birds, if available.						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

12.2 Persistence and degradability
Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium carbonate	No data available			
sodium percarbonate	NA	Method not given		

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water		Evaluation	Remark
sodium carbonate	No data available		Rapidly hydrolysible	
sodium percarbonate	< 1 day(s)	Method not given	Hydrolysible	

Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
sodium carbonate		No data available			

Biodegradation

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium carbonate					Not applicable (inorganic substance)
sodium percarbonate					Not applicable (inorganic substance)
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)			70% in 28 day(s)	OECD 301B	Readily biodegradable
sodium silicate					Not applicable (inorganic substance)
subtilisin				OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium carbonate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium carbonate					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium carbonate	No data available		No bioaccumulation expected	
sodium percarbonate	No data available			
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available			
sodium silicate	No data available		Low potential for bioaccumulation	
subtilisin	< 0			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium carbonate	No data available			No bioaccumulation expected	
sodium percarbonate	No data available				
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available				
sodium silicate	No data available				
subtilisin	-			Not relevant, does not bioaccumulate	

12.4 Mobility in soil

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
sodium percarbonate	No data available				High potential for mobility in soil
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with1,2-decanediol (1:1)	No data available				
sodium silicate	No data available				
subtilisin	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting propertiesEndocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging products:

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

- 14.4 Packing group: Non-dangerous goods
- 14.5 Environmental hazards: Non-dangerous goods
- 14.6 Special precautions for user: Non-dangerous goods
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
 Regulation (EC) 1272/2008 CLP (UK amended)

- Regulation (EC) 648/2004 Detergents regulation (UK amended)
 Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

oxygen-based bleaching agents polycarboxylates, non-ionic surfactants enzymes

15 - 30 % < 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1000972 Version: 05.1 Revision: 2022-10-24

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 1, 6, 8, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- · H272 May intensify fire; oxidiser.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- · H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories
 EUH CLP Specific hazard statement
- · LC50 Lethal Concentration, 50% / Median Lethal Concentration

- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
 NOAEL No observed adverse effect level
 NOEL No observed effect level
 OECD Organisation for Economic Cooperation and Development
 PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration

- PROC Process categories
 REACH number REACH registration number, without supplier specific part
 vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet