

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Taski Sprint Antibac E2b

Revision: 2022-11-28

Version: 06.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Taski Sprint Antibac E2b

UFI: 3S95-203U-C00K-3GQK

1.2 Relevant identified uses of the substance or mixture and uses advised against Product use: Hard surface cleaner.

Hard surface cleaner. Surface disinfectant. for general surface disinfection For professional use only. Uses other than those identified are not recommended.

Uses advised against:

SWED - Sector-specific worker exposure description : AISE_SWED_PW_8a_1 AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1B (H314) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Met. Corr. 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains alkyldimethylbenzylammoniumchloride (Cocoalkonium Chloride)

Hazard statements:

H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
alkyl (C12-16) dimethylbenzyl ammonium chloride	270-325-2	68424-85-1	[6]	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 M=10 (H400) Aquatic Chronic 1 (H410)		3-10
alkyl alcohol ethoxylate	[4]	69011-36-5	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)		3-10
sodium carbonate	207-838-8	497-19-8	01-2119485498-19	Eye Irrit. 2 (H319)		1-3

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.
[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.
For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures **General Information:**

General Information:	If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.
Inhalation:	Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.2 Most important symptoms and	effects, both acute and delaved
Inhalation:	No known effects or symptoms in normal use.
Skin contact:	Causes severe burns.
Eve contact:	Causes severe or permanent damage.

ye contact: ere or permanent damage Ingestion: Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Comah - Lower Tier requirements (tonnes): 100 Comah - Upper Tier requirements (tonnes): 200

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl (C12-16) dimethylbenzyl ammonium chloride	-	-	-	3.4
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)		Short term - Systemic	•	Long term - Systemic
	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)
alkyl (C12-16) dimethylbenzyl ammonium chloride	-	-	-	5.7
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	No data available	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl (C12-16) dimethylbenzyl ammonium chloride	-	-	-	3.4
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	No data available	-	No data available	-

DNEL/DMEL inhalatory exposure - Worker (mg/m ³)				
Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl (C12-16) dimethylbenzyl ammonium chloride	-	-	-	3.96
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	10	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl (C12-16) dimethylbenzyl ammonium chloride	-	-	-	1.64
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	10	-	-	-

Environmental exposure

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyl (C12-16) dimethylbenzyl ammonium chloride	0.0009	0.00096	-	0.4
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
alkyl (C12-16) dimethylbenzyl ammonium chloride	12.27	13.09	7	-
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls:

Appropriate organisational controls: Avoid of

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure	LCS	PROC	Duration (min)	ERC
	description				
Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a

Personal protective equipment

Eye / face protection:	Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.
Hand protection:	Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm In consultation with the supplier of protective gloves a different type providing similar protection may
	be chosen.
Body protection:	Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection:	No special requirements under normal use conditions.
Environmental exposure controls:	Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 1.5

Appropriate engineering controls: No sp Appropriate organisational controls: No sp

No special requirements under normal use conditions. No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

Personal protective equipment Eye / face protection: Hand protection: Body protection: Respiratory protection:

No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions.

Environmental exposure controls:

No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Clear , Blue Odour: Product specific Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product See substance data

Substance data, boiling point

Ingredient(s)	Value	Method	Atmospheric pressure
	(°C)		(hPa)
alkyl (C12-16) dimethylbenzyl ammonium chloride	Product decomposes		
	before boiling		
alkyl alcohol ethoxylate	> 200	Method not given	
sodium carbonate	1600	Method not given	1013

Flammability (solid, gas): Not applicable to liquids Flammability (liquid): Not flammable. Flash point (°C): Not applicable. Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	Method / remark
Lower and upper explosion limit/flammability limit (%): Not determined	See substance data
Substance data, flammability or explosive limits, if available:	
Autoignition temperature: Not determined Decomposition temperature: Not applicable.	Method / remark
 pH: ≈ 11 (neat) Kinematic viscosity: Not determined Solubility in / Miscibility with water: Fully miscible 	ISO 4316

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
alkyl (C12-16) dimethylbenzyl ammonium chloride	Soluble	OECD 105 (EU A.6)	10
alkyl alcohol ethoxylate	Soluble	Method not given	20
sodium carbonate	210-215	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Method / remark See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
alkyl (C12-16) dimethylbenzyl ammonium chloride	0.006	OECD 104 (EU A.4)	25
alkyl alcohol ethoxylate	Negligible	Method not given	20-25
sodium carbonate	Negligible		

Relative density: ≈ 1.05 (20 °C) Relative vapour density: No data available. Particle characteristics: No data available. Method / remark

OECD 109 (EU A.3) Not relevant to classification of this product Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
alkyl (C12-16) dimethylbenzyl ammonium chloride	LD 50	> 300-2000	Rat	OECD 401 (EU B.1)		7100
alkyl alcohol ethoxylate	LD 50	> 300-2000	Rat	OECD 423 (EU B.1 tris)		18000
sodium carbonate	LD 50	2800	Rat	OECD 401 (EU B.1)		390000

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available				Not established
alkyl alcohol ethoxylate	LD 50	> 2000	Rabbit	Method not given		Not established
sodium carbonate	LD 50	> 2000	Rabbit	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available			
alkyl alcohol ethoxylate		No data available			
sodium carbonate	LC 50	> 2.3 (dust)		Weight of evidence	2

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
alkyl (C12-16) dimethylbenzyl ammonium chloride	Not established	Not established	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
sodium carbonate	Not established	Not established	Not established	Not established

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl (C12-16) dimethylbenzyl ammonium chloride	Corrosive	Rabbit		
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl (C12-16) dimethylbenzyl ammonium chloride	Severe damage	Rabbit		
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
sodium carbonate	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available			
alkyl alcohol ethoxylate	No data available			
sodium carbonate	No data available			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl (C12-16) dimethylbenzyl ammonium chloride	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
	_		Buehler test	
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
sodium carbonate	Not sensitising		Method not given	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available			
alkyl alcohol ethoxylate	No data available			
sodium carbonate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available		No data available	
, ,	No evidence of genotoxicity, negative test results		No evidence of genotoxicity, negative test results	Method not given
sodium carbonate	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction	I						
Ingredient(s)	Endpoint	Specific effect	Value	Species	Method	Exposure	Remarks and other effects

			(mg/kg bw/d)			time	reported
alkyl (C12-16) dimethylbenzyl ammonium chloride			No data available				
alkyl alcohol ethoxylate	NOAEL	Teratogenic effects	> 50	Rat	Not known		No known significant effects or critical hazards
sodium carbonate			No data available				

Repeated dose toxicity

Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data				
		available				
alkyl alcohol ethoxylate		No data				
		available				
sodium carbonate		No data				
		available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
		(ilig/kg bw/u)			unne (uays)	anecteu
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data				
		available				
alkyl alcohol ethoxylate		No data				
		available				
sodium carbonate		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data				
		available				
alkyl alcohol ethoxylate		No data				
		available				
sodium carbonate		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl (C12-16) dimethylbenzyl			No data available					
ammonium chloride alkyl alcohol ethoxylate	Oral	NOAEL	50	Rat	Method not given	24 month(s)	Effects on organ weights	
sodium carbonate			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available
alkyl alcohol ethoxylate	Not applicable
sodium carbonate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available
alkyl alcohol ethoxylate	Not applicable
sodium carbonate	No data available

Aspiration hazard Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards 11.2.1 Endocrine disrupting properties Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl (C12-16) dimethylbenzyl ammonium chloride	LC 50	> 0.1-1	Lepomis macrochirus	OPP 72-1, static (EPA)	96
alkyl alcohol ethoxylate	LC 50	1 - 10	Cyprinus carpio	OECD 203 (EU C.1)	96
sodium carbonate	LC 50	300	Lepomis macrochirus	Method not given	96

Aquatic short-term toxicity - crustacea					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl (C12-16) dimethylbenzyl ammonium chloride	EC 50	> 0.01-0.1	Daphnia magna Straus	OECD 202 (EU C.2)	48
alkyl alcohol ethoxylate	EC 50	1 - 10	Daphnia magna Straus	OECD 202, static	48
sodium carbonate	EC 50	200-227	Ceriodaphnia dubia	Method not given	96

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl (C12-16) dimethylbenzyl ammonium chloride	EC 50	> 0.01-0.1	Pseudokirchner iella	OECD 201 (EU C.3)	72
			subcapitata		
alkyl alcohol ethoxylate	EC 50	1 - 10	Desmodesmus subspicatus	OECD 201, static	72
sodium carbonate	EC 50	> 800	Selenastrum capricornutum		72

Aquatic short-term toxicity - marine species					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available			
alkyl alcohol ethoxylate		No data available			
sodium carbonate		No data available			

Impact on sewage plants - toxicity to bacteria					
Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available			
alkyl alcohol ethoxylate	EC 10	> 10000	Activated sludge	DIN 38412 / Part 8	17 hour(s)
sodium carbonate		No data available			

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data				
		available				
alkyl alcohol ethoxylate		No data				
		available				
sodium carbonate		No data				
		available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl (C12-16) dimethylbenzyl ammonium chloride	NOEC	> 0.01-0.1	Daphnia magna	OECD 211	21 day(s)	
alkyl alcohol ethoxylate		No data available	-			
sodium carbonate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available				

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	220	Eisenia fetida			
sodium carbonate		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	10	Lepidium sativum	OECD 208		
sodium carbonate		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data				
		available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data				
		available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

12.2 Persistence and degradability

iziz i oroiotorioo ana aogradability							
Abiotic degradation							
Abiotic degradation - photodegradation in air, if available:							
Ingredient(s)	Half-life time	Method	Evaluation	Remark			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium carbonate	No data available		Rapidly hydrolysible	

Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
sodium carbonate		No data available			

Biodegradation

Ready biodegradability - aerobic conditions					
Ingredient(s)	Inoculum	Analytical	DT 50	Method	Evaluation
		method			
alkyl (C12-16) dimethylbenzyl ammonium chloride	Activated sludge,	Oxygen depletion	63% in 28 day(s)	OECD 301D	Readily biodegradable
	aerobe				
alkyl alcohol ethoxylate	Activated sludge,	CO ₂ production	> 60 % in 28	OECD 301B	Readily biodegradable
	aerobe	-	day(s)		
sodium carbonate					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium carbonate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium carbonate					No data available

12.3 Bioaccumulative potential Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl (C12-16) dimethylbenzyl	< 3	OECD 107	No bioaccumulation expected	at 20 °C
ammonium chloride				
alkyl alcohol ethoxylate	4.09	QSAR	No bioaccumulation expected	
sodium carbonate	No data available		No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl (C12-16)	No data available				
dimethylbenzyl					
ammonium chloride					
alkyl alcohol ethoxylate	-			No bioaccumulation expected	
sodium carbonate	No data available			No bioaccumulation expected	

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment					
Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available				
alkyl alcohol ethoxylate	No data available				Immobile in soil or sediment
sodium carbonate	No data available				Potential for mobility in soil, soluble in water

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	The concentrated contents or contaminated packaging should be disposed of by a certified handler
Waste from residues / unused	or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging
products:	material is suitable for energy recovery or recycling in line with local legislation.
European Waste Catalogue:	16 03 05* - organic wastes containing dangerous substances.
Empty packaging Recommendation: Suitable cleaning agents:	Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR) 14.1 UN number: 3267 14.2 UN proper shipping name: Corrosive liquid, basic, organic, n.o.s. (alkyldimethylbenzylammoniumchloride, trisodium citrate) 14.3 Transport hazard class(es): Transport hazard class (and subsidiary risks): 8 14.4 Packing group: III 14.5 Environmental hazards: Environmentally hazardous: Yes Marine pollutant: Yes 14.6 Special precautions for user: None known. 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers. Other relevant information: ADR Classification code: C7

EmS: F-A, S-B The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations :

IMO/IMDG

Regulation (EC) 1907/2006 - REACH (UK amended)

Tunnel restriction code: (E) Hazard identification number: 80

- Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Biocidal Products Regulations 2001 (SI 2001/880)
 Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended) Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

cationic surfactants, non-ionic surfactants

perfumes, Linalool, Amyl Cinnamal, Butylphenyl Methylpropional

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS5050

Version: 06.0

Revision: 2022-11-28

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains

5 - 15 %

changes from the previous version in section(s):, 1, 4, 6, 7, 8, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- · H302 Harmful if swallowed
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation. • H400 - Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

• AISE - The international Association for Soaps, Detergents and Maintenance Products

- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50% ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
 OECD Organisation for Economic Cooperation and Development
 PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet