



Revision: 2023-03-17 Version: 04.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Aggressor

UFI: WGF6-M07Y-S00F-8H4E

1.2 Relevant identified uses of the substance or mixture and uses advised against

Hard surface cleaner. Product use:

For professional use only.

Uses other than those identified are not recommended. Uses advised against:

AISE_SWED_PW_10_1 AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319)

2.2 Label elements



Signal word: Warning.

Hazard statements:

H319 - Causes serious eye irritation.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|------------------|-----------|------------|------------------|---------------------|-------|----------------|
| sodium carbonate | 207-838-8 | 497-19-8 | 01-2119485498-19 | Eye Irrit. 2 (H319) | | 3-10 |

| sodium alkylbenzenesulphonate | 290-656-6 | [1] | [1] | Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) | 3-10 |
|--|-----------|------------|-----|--|--------|
| Alcohols, C10-16, ethoxylated (7-<15 EO) | [4] | 68002-97-1 | [4] | Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412) | 1-3 |
| 1,2-benzisothiazol-3(2H)-one | 220-120-9 | 2634-33-5 | [6] | Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) | < 0.01 |

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

ATE, if available, are listed in section 11..

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get

medical attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use. Skin contact: No known effects or symptoms in normal use. Eye contact: Causes severe irritation.

Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| sodium carbonate | - | - | - | - |
| sodium alkylbenzenesulphonate | - | - | - | 0.425 |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | - | - | - | - |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

DNEL/DMEL dermal exposure - Worker

| Ingredient(s) | Short term - Local | Short term - Systemic | Long term - Local | Long term - Systemic |
|--|--------------------|-----------------------|-------------------|----------------------|
| | effects | effects (mg/kg bw) | effects | effects (mg/kg bw) |
| sodium carbonate | - | - | No data available | - |
| sodium alkylbenzenesulphonate | No data available | - | No data available | - |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | - | - | No data available | - |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

DNEL/DMEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|--|----------------------------|--|---------------------------|---|
| sodium carbonate | No data available | - | No data available | - |
| sodium alkylbenzenesulphonate | No data available | - | No data available | - |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | - | - | No data available | - |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| sodium carbonate | - | - | 10 | - |
| sodium alkylbenzenesulphonate | - | - | - | - |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | - | - | - | - |
| 1,2-benzisothiazol-3(2H)-one | - | - | = | - |

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|-------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| sodium carbonate | 10 | - | - | - |
| sodium alkylbenzenesulphonate | - | - | - | - |

| Alcohols, C10-16, ethoxylated (7-<15 EO) | = | = | = | = |
|--|---|---|---|---|
| 1,2-benzisothiazol-3(2H)-one | = | = | = | = |

Environmental exposure

Environmental exposure - PNEC

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|--|-----------------------------|------------------------------|---------------------|-------------------------------|
| sodium carbonate | | - | - | - |
| sodium alkylbenzenesulphonate | - | - | - | - |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | - | - | - | - |
| 1,2-benzisothiazol-3(2H)-one | 0.0026 | 0.00026 | - | 0.055 |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m³) |
|--|------------------------------|-----------------------------|--------------|-------------|
| sodium carbonate | - | - | - | - |
| sodium alkylbenzenesulphonate | - | - | - | - |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | - | - | - | - |
| 1,2-benzisothiazol-3(2H)-one | 0.0132 | - | 0.33 | - |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product: Activities covered:

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Hand protection:

Body protection:

Respiratory protection:

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).

No special requirements under normal use conditions.
No special requirements under normal use conditions.
No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 10

Appropriate engineering controls:

Appropriate organisational controls:

No special requirements under normal use conditions.

No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

| | SWED | LCS | PROC | Duration | ERC |
|---|-------------------|-----|---------|----------|-------|
| | | | | (min) | |
| Manual application by brushing, wiping or mopping | AISE_SWED_PW_10_1 | PW | PROC 10 | 480 | ERC8a |
| Manual application | AISE_SWED_PW_19_1 | PW | PROC 19 | 480 | ERC8a |

Personal protective equipment

Eye / face protection:
Hand protection:
Body protection:
No special requirements under normal use conditions.

Environmental exposure controls:
No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid
Colour: Milky , Green
Odour: Slightly perfumed
Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Not determined N.A.

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|--|-------------------|------------------|----------------------------|
| sodium carbonate | 1600 | Method not given | 1013 |
| sodium alkylbenzenesulphonate | No data available | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | No data available | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | |

Method / remark

Flammability (solid, gas): Not determined Flammability (liquid): Not flammable.

Flash point (°C): > 60 °C

closed cup

Sustained combustion: The product does not sustain combustion

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

N.A

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

pH: ≈ 11 (neat)

11

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|--|-------------------|------------------|---------------------|
| sodium carbonate | 210-215 | Method not given | 20 |
| sodium alkylbenzenesulphonate | No data available | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | No data available | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

See substance data

Substance data, vapour pressure

Vapour pressure: See substance data.

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|--|-------------------|--------|---------------------|
| sodium carbonate | Negligible | | |
| sodium alkylbenzenesulphonate | No data available | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | No data available | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | |

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

 Explosive properties:
 Not explosive.
 N.A

 Oxidising properties:
 Not oxidising.
 N.A.

 Corrosion to metals:
 Not corrosive

9.2.2 Other safety characteristics

Relative density: ≈ 1.06 (20 °C)

Relative vapour density: Not determined.

Particle characteristics: No data available.

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Eye irritation and corrosivity

Result: Eye irritant 2 Method: Weight of evidence

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE (mg/kg) |
|--|----------|------------------|---------|-------------------|-------------------|----------------|
| sodium carbonate | LD 50 | 2800 | Rat | OECD 401 (EU B.1) | | 2800 |
| sodium alkylbenzenesulphonate | LD 50 | > 1470 | Rat | OECD 401 (EU B.1) | | 1470 |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | LD 50 | ≥ 1000 | | Read across | | 1000 |
| 1,2-benzisothiazol-3(2H)-one | LD 50 | > 2000 | Rat | | | 450 |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE (mg/kg) |
|--|----------|----------------------|---------|-------------------|-------------------|-----------------|
| sodium carbonate | LD 50 | > 2000 | Rabbit | Method not given | | Not established |
| sodium alkylbenzenesulphonate | | No data available | | | | Not established |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | LD 50 | > 2000 | | Method not given | | Not established |
| 1,2-benzisothiazol-3(2H)-one | LD 50 | > 2000 | Rat | OECD 402 (EU B.3) | | Not established |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|----------------------|---------|--------------------|-------------------|
| sodium carbonate | LC 50 | > 2.3 (dust) | | Weight of evidence | 2 |
| sodium alkylbenzenesulphonate | | No data available | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | |

Acute inhalative toxicity, continued

| Ingredient(s) | ATE - inhalation, dust | ATE - inhalation, mist | ATE - inhalation, | ATE - inhalation, gas |
|--|------------------------|------------------------|-------------------|-----------------------|
| | (mg/l) | (mg/l) | vapour (mg/l) | (mg/l) |
| sodium carbonate | Not established | Not established | Not established | Not established |
| sodium alkylbenzenesulphonate | Not established | Not established | Not established | Not established |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | Not established | Not established | Not established | Not established |
| 1,2-benzisothiazol-3(2H)-one | Not established | Not established | Not established | Not established |

Irritation and corrosivity Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|-------------------|---------------|
| sodium carbonate | Not irritant | Rabbit | OECD 404 (EU B.4) | |
| sodium alkylbenzenesulphonate | No data available | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | Not irritant | Rabbit | Method not given | |
| 1,2-benzisothiazol-3(2H)-one | Corrosive | | Method not given | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|-------------------|---------------|
| sodium carbonate | Irritant | Rabbit | OECD 405 (EU B.5) | |
| sodium alkylbenzenesulphonate | No data available | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | Severe damage | Rabbit | Method not given | |
| 1,2-benzisothiazol-3(2H)-one | Severe damage | | Method not given | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|--------|---------------|
| sodium carbonate | No data available | | | |
| sodium alkylbenzenesulphonate | No data available | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | | |

Sensitisation Sensitisation by skin contact

| Contraction by Chair Contact | | | | |
|--|-------------------|------------|------------------|-------------------|
| Ingredient(s) | Result | Species | Method | Exposure time (h) |
| sodium carbonate | Not sensitising | | Method not given | |
| sodium alkylbenzenesulphonate | No data available | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | Not sensitising | Guinea pig | Method not given | |
| 1,2-benzisothiazol-3(2H)-one | Sensitising | Guinea pig | | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|--------|---------------|
| sodium carbonate | No data available | | | |
| sodium alkylbenzenesulphonate | No data available | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

| Ingredient(s) | Result (in-vitro) | Method | Result (in-vivo) | Method |
|--|---|--------------------------|---|------------------|
| | | (in-vitro) | | (in-vivo) |
| sodium carbonate | No data available | | No data available | |
| sodium alkylbenzenesulphonate | No data available | | No data available | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | No evidence for mutagenicity, negative test results | | No evidence for mutagenicity, negative test results | Method not given |
| 1,2-benzisothiazol-3(2H)-one | No evidence for mutagenicity, negative test results | OECD 471 (EU B.12/13) | No data available | - |

Carcinogenicity

| Ingredient(s) | Effect |
|--|---|
| sodium carbonate | No evidence for carcinogenicity, weight-of-evidence |
| sodium alkylbenzenesulphonate | No data available |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | No evidence for carcinogenicity, weight-of-evidence |
| 1,2-benzisothiazol-3(2H)-one | No data available |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|---|----------|-----------------|-----------------------|---------|------------|---------------|---|
| sodium carbonate | | | No data available | | | | |
| sodium alkylbenzenesulphonat e | | | No data available | | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | | | No data available | | Literature | | No evidence for teratogenic effects No evidence for reproductive toxicity |
| 1,2-benzisothiazol-3(2H)-one | | | No data available | | | | |

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|-----------------------|---------|--------|----------------------|--------------------------------------|
| sodium carbonate | | No data available | | | | |
| sodium alkylbenzenesulphonate | | No data available | | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|-----------------------|---------|--------|----------------------|--------------------------------------|
| sodium carbonate | | No data | | | | |
| | | available | | | | |
| sodium alkylbenzenesulphonate | | No data | | | | |
| | | available | | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | | No data | | | | |
| | | available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data | | | | |
| | | available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|-----------------------|---------|--------|----------------------|--------------------------------------|
| sodium carbonate | | No data available | | | | |
| sodium alkylbenzenesulphonate | | No data available | | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|--|----------------|----------|-----------------------|---------|--------|---------------|---|--------|
| sodium carbonate | | | No data available | | | | | |
| sodium alkylbenzenesulphonat e | | | No data available | | | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | | | No data available | | | | | |
| 1,2-benzisothiazol-3(2H)-one | | | No data available | | | | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|--|-------------------|
| sodium carbonate | No data available |
| sodium alkylbenzenesulphonate | No data available |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | No data available |
| 1,2-benzisothiazol-3(2H)-one | No data available |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|--|-------------------|
| sodium carbonate | No data available |
| sodium alkylbenzenesulphonate | No data available |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | No data available |
| 1,2-benzisothiazol-3(2H)-one | No data available |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards 11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|----------------------|------------------------|-------------------|-------------------|
| sodium carbonate | LC 50 | 300 | Lepomis macrochirus | Method not given | 96 |
| sodium alkylbenzenesulphonate | LC 50 | No data available | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | LC 50 | > 1-10 | Brachydanio rerio | Method not given | 96 |
| 1,2-benzisothiazol-3(2H)-one | LC 50 | 2.18 | Oncorhynchus mykiss | OECD 203 (EU C.1) | |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|-----------------|-------------------------|-------------------|-------------------|
| sodium carbonate | EC 50 | 200-227 | Ceriodaphnia dubia | Method not given | 96 |
| sodium alkylbenzenesulphonate | EC 50 | 1.62 | Daphnia magna Straus | | 48 |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | EC 50 | > 1-10 | Daphnia magna Straus | Method not given | 48 |
| 1,2-benzisothiazol-3(2H)-one | EC 50 | 2.94 | Daphnia | OECD 202 (EU C.2) | 48 |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|-----------------|-------------------------|-------------------|-------------------|
| sodium carbonate | EC 50 | > 800 | Selenastrum | | 72 |
| | | | capricornutum | | |
| sodium alkylbenzenesulphonate | EC 50 | 29 | Selenastrum | | 96 |
| | | | capricornutum | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | EC 50 | > 1-10 | Desmodesmus subspicatus | Method not given | 72 |
| 1,2-benzisothiazol-3(2H)-one | Er C 50 | 0.11 | | OECD 201 (EU C.3) | 72 |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|--|----------|----------------------|---------|--------|----------------------|
| sodium carbonate | | No data available | | | |
| sodium alkylbenzenesulphonate | | No data available | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|--|----------|----------------------|------------------|------------------|---------------|
| sodium carbonate | | No data available | | | |
| sodium alkylbenzenesulphonate | | No data available | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | EC 50 | 140 | Activated sludge | Method not given | |
| 1,2-benzisothiazol-3(2H)-one | EC 20 | 3.3 | Activated sludge | OECD 209 | 3 hour(s) |

Aquatic long-term toxicity Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--|----------|----------------------|---------|--------|---------------|------------------|
| sodium carbonate | | No data available | | | | |
| sodium alkylbenzenesulphonate | | No data available | | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--|----------|-----------------|-------------|----------|---------------|------------------|
| sodium carbonate | | No data | | | | |
| | | available | | | | |
| sodium alkylbenzenesulphonate | | No data | | | | |
| | | available | | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | EC 10 | > 0.1-1 | Daphnia sp. | OECD 211 | | |
| 1,2-benzisothiazol-3(2H)-one | | No data | | | | |
| | | available | | | | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|---------------------------------|---------|--------|----------------------|------------------|
| sodium carbonate | | No data available | | | | |
| sodium alkylbenzenesulphonate | | No data available | | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|------------------|----------|-----------------------------|---------|--------|----------------------|------------------|
| sodium carbonate | | No data | | | | |
| | | available | | | | |

Terrestrial toxicity - plants, if available:

| refreetial textolly plante, if available. | | | | | | |
|---|----------|-----------------------------|---------|--------|----------------------|------------------|
| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
| sodium carbonate | | No data | | | | |
| | | available | | | | |

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|------------------|----------|----------------------|---------|--------|----------------------|------------------|
| sodium carbonate | | No data available | | | | |

Terrestrial toxicity - beneficial insects, if available:

| remotinal textony beneficial interest, in available. | | | | | | |
|--|----------|-----------------------------|---------|--------|----------------------|------------------|
| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
| sodium carbonate | | No data available | | | | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|------------------|----------|-----------------------------|---------|--------|----------------------|------------------|
| sodium carbonate | | No data available | | | | |

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

| Ingredient(s) | Half-life time | Method | Evaluation | Remark |
|------------------|-------------------|--------|------------|--------|
| sodium carbonate | No data available | | | |

Abiotic degradation - hydrolysis, if available:

| Ingredient(s) | Half-life time in fresh water | Method | Evaluation | Remark |
|------------------|-------------------------------|--------|----------------------|--------|
| sodium carbonate | No data available | | Rapidly hydrolysible | |

Abiotic degradation - other processes, if available:

| Ingredient(s) | Type | Half-life time | Method | Evaluation | Remark |
|------------------|------|-------------------|--------|------------|--------|
| sodium carbonate | | No data available | | | |

BiodegradationReady biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT 50 | Method | Evaluation |
|--|--------------------------|----------------------------|------------------------|-----------|--------------------------------------|
| sodium carbonate | | | | | Not applicable (inorganic substance) |
| sodium alkylbenzenesulphonate | | | | OECD 301B | Readily biodegradable |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | Activated sludge, aerobe | Method not given | > 60 % in 28 day(s) | OECD 301B | Readily biodegradable |
| 1,2-benzisothiazol-3(2H)-one | Adapted activated sludge | CO ₂ production | 62% in 4 day(s) | OECD 301C | Not readily biodegradable. |

Ready biodegradability - anaerobic and marine conditions, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT 50 | Method | Evaluation |
|------------------|---------------|-------------------|-------|--------|-------------------|
| sodium carbonate | | | | | No data available |

Degradation in relevant environmental compartments, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT 50 | Method | Evaluation |
|------------------------------|--------------------------------------|---------------------|-------|-----------|-------------------|
| sodium carbonate | | | | | No data available |
| 1,2-benzisothiazol-3(2H)-one | Sewage treatment plant simulation | Primary degradation | > 90% | OECD 303A | Biodegradable |

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

| Ingredient(s) | Value | Method | Evaluation | Remark |
|--|-------------------|----------|-----------------------------|--------|
| sodium carbonate | No data available | | No bioaccumulation expected | |
| sodium alkylbenzenesulphonate | No data available | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | 3.55 | QSAR | No bioaccumulation expected | |
| 1,2-benzisothiazol-3(2H)-one | 0.7 | OECD 107 | No bioaccumulation expected | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|--|-------------------|---------|----------|-----------------------------|--------|
| sodium carbonate | No data available | | | No bioaccumulation expected | |
| sodium alkylbenzenesulphonat e | No data available | | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | 6.95 | | OECD 305 | | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log Koc | Desorption coefficient Log Koc(des) | Method | Soil/sediment type | Evaluation |
|--|--------------------------------------|---|--------|-----------------------|--|
| sodium carbonate | No data available | | | | Potential for mobility in soil, soluble in water |
| sodium alkylbenzenesulphonate | No data available | | | | |
| Alcohols, C10-16, ethoxylated (7-<15 EO) | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | | - | |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting propertiesEndocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

5 - 15 %

< 5 %

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods **14.2 UN proper shipping name:** Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

anionic surfactants
non-ionic surfactants, soap
perfumes, Benzisothiazolinone

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS7184 **Version:** 04.1 **Revision:** 2023-03-17

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
- DNEL Derived No Effect Limit
- EUH CLP Specific hazard statement

- PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration
 REACH number REACH registration number, without supplier specific part

 PVPB very Persistent and very Bioaccumulative
- ATE Acute Toxicity Estimate
- LD50 Lethal Dose, 50% / Median Lethal dose
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- EC50 effective concentration, 50%
- NOEL No observed effect level
- NOAEL No observed adverse effect level
 OECD Organisation for Economic Cooperation and Development
 H302 Harmful if swallowed.
 H303 May be harmful if swallowed.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.H319 Causes serious eye irritation.

- H400 Very toxic to aquatic life.

 H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet