

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Cif Professional Multi Surface

Revision: 2024-08-02 Version: 04.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Cif Professional Multi Surface

Cif is a registered trade mark and is used under licence of Unilever

UFI: NWM3-C072-C00P-J9RM

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Furniture polish. Hard surface cleaner.

Uses advised against: Uses other than those identified are not recommended.

 \mbox{SWED} - Sector-specific worker exposure description : $\mbox{AISE_SWED_PW_10_1}$ $\mbox{AISE_SWED_PW_11_1}$ AISE_SWED_PW_19_1 PC31-Polishes and wax blends PC35-Washing and cleaning products

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Tel: 01 8081808 (9am - 5pm Mon-Fri) Email: dublin.orders@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

National Poisons Information Centre

Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Aerosols, Category 3 (H229)

2.2 Label elements

Signal word: Warning.

Contains 2-methyl-2H-isothiazol-3-one (Methylisothiazolinone), 1,2-benzisothiazol-3(2H)-one (Benzisothiazolinone)

H229 - Pressurised container: May burst if heated.

EUH208 - May produce an allergic reaction.

Precautionary statements:

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 - Do not pierce or burn, even after use.

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

Further indications on the label:

Contains: preservative. 2.1 % by mass of the contents are flammable.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH	Classification	Notes	Weight

			number		percent
white mineral oil (petroleum)	232-455-8	8042-47-5	01-211948707 8-27	Aspiration toxicity, Category 1 (H304)	3-10
butane	203-448-7	106-97-8		Flammable gases, Category 1 (H220) Compressed gas (H280)	1-3
Alcohols, C12-14, ethoxylated	500-213-3	68439-50-9	01-211948798 4-16	Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 3 (H412)	0.1-1
1,2-benzisothiazol-3(2H)-one	220-120-9	2634-33-5	[6]	Acute toxicity - Inhalation, Category 2 (H330) Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Skin sensitisation, Category 1 (H317) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410)	0.01-0.1
2-methyl-2H-isothiazol-3-one	220-239-6	2682-20-4	[6]	Acute toxicity - Inhalation, Category 2 (H330) Acute toxicity - Oral, Category 3 (H301) Acute toxicity - Dermal, Category 3 (H311) Skin corrosion, Category 1B (H314) Serious eye damage, Category 1 (H318) Skin sensitisation, Sub-category 1A (H317) Acute aquatic toxicity, Category 1 M=10 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410)	< 0.01

Specific concentration limits

1,2-benzisothiazol-3(2H)-one:

• Skin sensitisation, Category 1 (H317) >= 0.05%

2-methyl-2H-isothiazol-3-one:

• Skin sensitisation, Category 1 (H317) >= 0.0015%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical

attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:No known effects or symptoms in normal use.Skin contact:No known effects or symptoms in normal use.Eye contact:No known effects or symptoms in normal use.Ingestion:No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

Cool endangered packaging with water spray jet.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Absorb liquid components with liquid-binding material.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50° C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Use non-sparking tools.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless adviced by Diversey. Wash hands thoroughly after handling. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep out of reach of children. Keep away from heat and direct sunlight. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
butane	1000 ppm	3000 ppm

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
white mineral oil (petroleum)	-	-	-	40
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	-	-	-	25
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	0.027

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
white mineral oil (petroleum)	No data available	-	No data available	220
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	-	No data available	2080
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)

white mineral oil (petroleum)	No data available	•	No data available	•
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	-	No data available	1250
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
white mineral oil (petroleum)	-	-	-	160
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	-	-	-	294
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
white mineral oil (petroleum)	-	-	-	35
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	-	-	25	87
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
white mineral oil (petroleum)	-	-	-	-
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	0.074	0.007	0.004	10000
1,2-benzisothiazol-3(2H)-one	0.0026	0.00026	-	0.055
2-methyl-2H-isothiazol-3-one	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
white mineral oil (petroleum)	-	-	-	-
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	66.67	6.66	1	-
1,2-benzisothiazol-3(2H)-one	0.0132	-	0.33	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: Provide

Provide a good standard of general ventilation.

Appropriate organisational controls: Users are advised to consider national Occupational Exposure Limits or other equivalent values, if

available.

REACH use scenarios considered for the undiluted product:

REACTI use section to section the ununities product.							
	SWED - Sector-specific worker exposure	LCS	PROC	Duration (min)	ERC		
	description						
PC31-Polishes and wax blends	PC31-Polishes and wax blends	С		1	ERC8a		
PC35-Washing and cleaning products	PC35-Washing and cleaning products	С		ı	ERC8a		
Manual application by brushing, wiping or mopping Spray application	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a		
Manual application by brushing, wiping or mopping Spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a		
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a		

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions. No special requirements under normal use conditions. Hand protection: **Body protection:** No special requirements under normal use conditions.

Respiratory protection: Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or

aerosols should be avoided. Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if

available.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Aerosol Colour: Milky , White Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product Not applicable as product is an aerosol

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
white mineral oil (petroleum)	>= 218 - <= 800 °C	Method not given	101.3
butane	No data available		
Alcohols, C12-14, ethoxylated	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		
2-methyl-2H-isothiazol-3-one	No data available		

Method / remark

closed cup

Flammability (solid, gas): Not determined Flammability (liquid): Not applicable.

Flash point (°C): Not applicable as product is an aerosol > 61 °C Sustained combustion: The product does not sustain combustion

(UN Manual of Tests and Criteria, section 32, L.2)

Weight of evidence

Lower and upper explosion limit/flammability limit (%): Not determined

See substance data

Substance data, flammability or explosive limits, if available:

Method / remark

ISO 4316

Autoignition temperature: Not determined **Decomposition temperature:** Not applicable.

pH: ≈ 7 (neat)

Kinematic viscosity: Not determined DM-006 Viscosity - Additional

Solubility in / Miscibility with water: Fully miscible

Substance data calubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
white mineral oil (petroleum)	Insoluble	Method not given	
butane	No data available		
Alcohols, C12-14, ethoxylated	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		
2-methyl-2H-isothiazol-3-one	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined See substance data

Substance data vanour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
white mineral oil (petroleum)	< 0.013	Method not given	20
butane	No data available		
Alcohols, C12-14, ethoxylated	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

2-methyl-2H-isothiazol-3-one No data available

Method / remark OECD 109 (EU A.3)

Relative density: ≈ 0.98 (20 °C)
Relative vapour density: No data available.
Particle characteristics: No data available.

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising. Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
white mineral oil (petroleum)	LD 50	> 5000	Rat	OECD 401 (EU B.1)	` '	Not established
butane		No data available				Not established
Alcohols, C12-14, ethoxylated	LD 50	> 2000	Rat	OECD 401 (EU B.1)		Not established
1,2-benzisothiazol-3(2H)-one	LD 50	> 2000	Rat			450
2-methyl-2H-isothiazol-3-one	LD 50	120	Rat	OECD 401 (EU B.1)		120

Acute dermal toxicity

reace definal textory						
Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
white mineral oil (petroleum)	LD 50	> 2000	Rabbit	OECD 402 (EU B.3)		Not established
butane		No data available				Not established
Alcohols, C12-14, ethoxylated	LD 50	> 3000		Method not given		Not established
1,2-benzisothiazol-3(2H)-one	LD 50	> 2000	Rat	OECD 402 (EU B.3)		Not established
2-methyl-2H-isothiazol-3-one	LD 50	242	Rat	OECD 402 (EU B.3)	24 hours	242

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
white mineral oil (petroleum)	LC 50	> 5	Rat	OECD 403 (EU B.2)	4
butane		No data available			
Alcohols, C12-14, ethoxylated	LC 50	> 1600 (vapour) No mortality observed		Method not given	
1,2-benzisothiazol-3(2H)-one		No data available			
2-methyl-2H-isothiazol-3-one	LC 50	(mist) 0.11	Rat	OECD 403 (EU B.2)	4 hours

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
white mineral oil (petroleum)	Not established	Not established	Not established	Not established
butane	Not established	Not established	Not established	Not established
Alcohols, C12-14, ethoxylated	Not established	Not established	Not established	Not established
1,2-benzisothiazol-3(2H)-one	Not established	0.21	Not established	Not established
2-methyl-2H-isothiazol-3-one	Not established	0.11	Not established	Not established

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
white mineral oil (petroleum)	Not irritant			
butane	No data available			
Alcohols, C12-14, ethoxylated	Not irritant			
1,2-benzisothiazol-3(2H)-one	Corrosive		Method not given	
2-methyl-2H-isothiazol-3-one	Corrosive			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
white mineral oil (petroleum)	Not corrosive or irritant			
butane	No data available			
Alcohols, C12-14, ethoxylated	Severe damage		Weight of evidence	
1,2-benzisothiazol-3(2H)-one	Severe damage		Method not given	
2-methyl-2H-isothiazol-3-one	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
white mineral oil (petroleum)	No data available			
butane	No data available			
Alcohols, C12-14, ethoxylated	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			
2-methyl-2H-isothiazol-3-one	No data available			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
white mineral oil (petroleum)	Not sensitising			
butane	No data available			
Alcohols, C12-14, ethoxylated	Not sensitising	Guinea pig	OECD 406 (EU B.6)	
1,2-benzisothiazol-3(2H)-one	Sensitising	Guinea pig		
2-methyl-2H-isothiazol-3-one	Sensitising	Guinea pig		

Sensitisation by inhalation

Control Contro				
Ingredient(s)	Result	Species	Method	Exposure time
white mineral oil (petroleum)	No data available			
butane	No data available			
Alcohols, C12-14, ethoxylated	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			
2-methyl-2H-isothiazol-3-one	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
white mineral oil (petroleum)	No data available		No data available	
butane	No data available		No data available	
Alcohols, C12-14, ethoxylated	No data available		No data available	
1,2-benzisothiazol-3(2H)-one	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
2-methyl-2H-isothiazol-3-one	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

Carcinogenicity

Carcinogenicity	
Ingredient(s)	Effect
white mineral oil (petroleum)	No data available
butane	No data available
Alcohols, C12-14, ethoxylated	No data available
1,2-benzisothiazol-3(2H)-one	No data available
2-methyl-2H-isothiazol-3-one	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
white mineral oil (petroleum)			No data available				
butane			No data available				
Alcohols, C12-14, ethoxylated			No data available				
1,2-benzisothiazol-3(2H)-one			No data available				
2-methyl-2H-isothiazol- 3-one			No data available				

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	
white mineral oil (petroleum)		No data available				
butane		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
white mineral oil (petroleum)		No data available				
butane		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
white mineral oil (petroleum)		No data				
		available				
butane		No data				
		available				
Alcohols, C12-14, ethoxylated		No data				
		available				
1,2-benzisothiazol-3(2H)-one		No data				
		available				
2-methyl-2H-isothiazol-3-one		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
white mineral oil (petroleum)			No data available					
butane			No data available					
Alcohols, C12-14, ethoxylated			No data available					
1,2-benzisothiazol-3(2H)-one			No data available					
2-methyl-2H-isothiazol- 3-one			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
white mineral oil (petroleum)	No data available
butane	No data available
Alcohols, C12-14, ethoxylated	No data available
1,2-benzisothiazol-3(2H)-one	No data available
2-methyl-2H-isothiazol-3-one	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
white mineral oil (petroleum)	No data available
butane	No data available
Alcohols, C12-14, ethoxylated	No data available
1,2-benzisothiazol-3(2H)-one	No data available
2-methyl-2H-isothiazol-3-one	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties
Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
white mineral oil (petroleum)		No data available			
butane		No data available			
Alcohols, C12-14, ethoxylated		No data available			
1,2-benzisothiazol-3(2H)-one	LC 50	2.18	Oncorhynchus mykiss	OECD 203 (EU C.1)	
2-methyl-2H-isothiazol-3-one	LC 50	4.77	Oncorhynchus mykiss	Similar to OECD 203	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
white mineral oil (petroleum)		No data			
		available			

butane		No data available			
Alcohols, C12-14, ethoxylated		No data available			
1,2-benzisothiazol-3(2H)-one	EC 50	2.94	Daphnia	OECD 202 (EU C.2)	48
2-methyl-2H-isothiazol-3-one	LC 50	0.93-1.9	Daphnia magna Straus	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
white mineral oil (petroleum)		No data available			
butane		No data available			
Alcohols, C12-14, ethoxylated		No data available			
1,2-benzisothiazol-3(2H)-one	Er C 50	0.11		OECD 201 (EU C.3)	72
2-methyl-2H-isothiazol-3-one	EC 50	0.158	Selenastrum capricornutum	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
white mineral oil (petroleum)		No data available			
butane		No data available			
Alcohols, C12-14, ethoxylated		No data available			
1,2-benzisothiazol-3(2H)-one		No data available			
2-methyl-2H-isothiazol-3-one		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
white mineral oil (petroleum)		No data available			
butane		No data available			
Alcohols, C12-14, ethoxylated		No data available			
1,2-benzisothiazol-3(2H)-one	EC 20	3.3	Activated sludge	OECD 209	3 hour(s)
2-methyl-2H-isothiazol-3-one	EC 20	2.8	Activated sludge	OECD 209	3 hour(s)

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
white mineral oil (petroleum)		No data available			time	
butane		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
white mineral oil (petroleum)		No data				
		available				
butane		No data				
		available				
Alcohols, C12-14, ethoxylated		No data				
		available				
1,2-benzisothiazol-3(2H)-one		No data				
		available				
2-methyl-2H-isothiazol-3-one		No data				
		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
white mineral oil (petroleum)		No data available				
butane		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Terrestrial toxicityTerrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
white mineral oil (petroleum)				OECD 301F	Not readily biodegradable.
butane					Readily biodegradable
Alcohols, C12-14, ethoxylated	Activated sludge, aerobe	Oxygen depletion	95 % in 28 day(s)	OECD 301F	Readily biodegradable
1,2-benzisothiazol-3(2H)-one	Adapted activated sludge	CO ₂ production	62% in 4 day(s)	OECD 301C	Not readily biodegradable.
2-methyl-2H-isothiazol-3-one				Other	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
1,2-benzisothiazol-3(2H)-one	Sewage treatment	Primary	> 90%	OECD 303A	Biodegradable
	plant simulation	degradation			
2-methyl-2H-isothiazol-3-one	Surface water	Mineralisation rate	> 50 % in 4 day(s)	OECD 309	Biodegradable
	(fresh)		• • • •		

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
white mineral oil (petroleum)	No data available			
butane	No data available			
Alcohols, C12-14, ethoxylated	No data available			
1,2-benzisothiazol-3(2H)-one	0.7	OECD 107	No bioaccumulation expected	
2-methyl-2H-isothiazol-3-one	-0.32	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
white mineral oil	No data available				
(petroleum)					

butane	No data available		
Alcohols, C12-14, ethoxylated	No data available		
1,2-benzisothiazol-3(2H)-one	6.95	OECD 305	
2-methyl-2H-isothiazol- 3-one	3.16	OECD 305	

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
white mineral oil (petroleum)	No data available				
butane	No data available				
Alcohols, C12-14, ethoxylated	No data available				
1,2-benzisothiazol-3(2H)-one	No data available				
2-methyl-2H-isothiazol-3-one	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: 1950 14.2 UN proper shipping name:

Aerosols

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 2.2

14.4 Packing group:

14.5 Environmental hazards: Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: 5A Tunnel restriction code: (E)

IMO/IMDG

EmS: F-D, S-U

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 REACH
- Regulation (EC) No 1272/2008 CLP
- Regulation (EC) No. 648/2004 Detergents regulation
- Directive 75/324/EEC on aerosol dispensers
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- · Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

5 - 15 % aliphatic hydrocarbons non-ionic surfactants < 5 %

perfumes, Sodium Benzoate, Benzisothiazolinone, Methylisothiazolinone

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1003771 Version: 04.0 Revision: 2024-08-02

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 3, 8, 9, 11, 12, 14, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories
 EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- · LCS Life cycle stage
- · LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- · H220 Extremely flammable gas.

- H280 Contains gas under pressure; may explode if heated.
 H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H304 May be fatal if swallowed and enters airways.
 H311 Toxic in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H330 Fatal if inhaled.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet